

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 24 S., R. 6 W.

CHAINS

A fir, 15 ins. diam., bears S. 57° E., 310 lks. dist., mkd. $\frac{1}{4}$ S16 BT.

A fir, 30 ins. diam., bears N. 45° W., 195 lks. dist., mkd. $\frac{1}{4}$ S17 BT.

Ascend 10 ft. over SE. slope, along a logging cutting line, timber to the W., through scattering to moderate undergrowth.

42.70 Spur, slopes E.; desc. 180 ft. over NE. slope.

48.20 Ravine, drains E.; asc. 35 ft. over SE. slope.

50.40 Spur, slopes S. 80° E.; desc. 40 ft. over NE. slope.

51.80 Creek, 1 lk. wide, course S. 80° E.; asc. 375 ft. over S. slope.

62.60 Ridge, summit of Yellow Creek Mtn., bears E. and S. 80° W., desc. 550 ft. over NE. slope, entering heavy timber and dense undergrowth.

80.24 The cor. of secs. 8, 9, 16, and 17, determined from the original bearing trees:

A rotted fir snag, 52 ins. diam., bears N. 74° E., 51 lks. dist., with no marks remaining. (Record bearing and dist., N. 76° E., 51 lks.)

A fir, 55 ins. diam., blown down, bears S. $79\frac{1}{2}^{\circ}$ E., 158 lks. dist., lying face down, no marks visible.

A cedar snag, 35 ins. diam., bears S. $72\frac{1}{2}^{\circ}$ W., 31 lks. dist., blaze rotted, no marks remaining. (Record distance, 32 lks.)

A fir, 54 ins. diam., blown down, bears N. $14\frac{1}{2}^{\circ}$ W., 33 lks. dist., mkd. with portions of illegible bark scribing and old cruiser marks.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap marked

T 24 S R 6 W			
S 8	S 9		
S 17	S 16		
1963			

from which new bearing trees:

A hemlock, 10 ins. diam., bears N. $35\frac{1}{2}^{\circ}$ E., 23 lks. dist., mkd. T24S R6W S9 BT.

A cedar, 12 ins. diam., bears S. $80\frac{1}{4}^{\circ}$ E., 92 lks. dist., mkd. T24S R6W S13 BT.

A fir, 25 ins. diam., bears S. 30° W., 32 lks. dist., mkd. T24S R6W S17 BT.

A hemlock, 12 ins. diam., bears N. $74\frac{3}{4}^{\circ}$ W., 23 lks. dist., mkd. T24S R6W S8 BT.

Land, mountainous.

Soil, rocky clay loam.

Timber, fir, cedar, hemlock, maple, myrtle, madrone,