

TOWNSHIP 19 RANGE 08 POINT IDENTIFIER # 540100

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Sec. 35; & 2, T20-8

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Locate an iron post 36" long, 1" dia., lying on the ground, at base of the NE. bearing tree, with brass cap mkd. ¼ S35 S2 1952.

At the corner point

RESET the iron post 28" in the ground, from which a new bearing tree

A burned and dead Fir 30" dia., bears N.57°W., 52 lks. dist. mkd. ¼ S35 BT.

Set a 6 ft. steel fence post alongside the iron post.

Survey by Richard Hintz - For: International Paper Co. - Dec. 1986 - M 103-6

Found - GLO iron pipe 1" dia. with brass cap 6" above ground
24" Fir stump bears N.59°W., 33.9 ft. mkd. ¼ S35 BT.
21" Fir stump bears N.67°E., 17.3 ft., blaze rotted.
New BT - 7" Fir bears N.49½°W., 43.7 ft. to spike mkd. ¼ S35 BT.

No other tree available.

Ronald L. Rice - For: Oxbow Timber 1 LLC - Aug. 2014 - C.S. file 65/84-10

Found - 1952 GLO brass cap with the following accessories:
24" D.Fir stump bears N.59°W., 33.9' - rotted face
21" D.Fir stump bears N.67°E., 17.3' - rotted face
12" D.Fir snag bears N.49½°W., 43.7' - healed face
9" D.Fir bears S.7¾°E., 7.3' - scribing visible (2013 BLM tagged)
9" D.Fir bears N.38¾°W 15.3' - scribing visible (2013 BLM tagged)
Steel post adjacent to corner

BLM corrective remonumentation and rehabilitation of certain corners by Edith M Forkner, Cadastral Surveyor, under Group #2000, surveyed Feb. 2006/March 2009 - (DCSO records Vol. 58 Page(s) 23181)

The ¼ sec. cor. of secs. 2 & 35, perpetuated by Skinner, in 1986; monumented with an iron post, 1" dia., firmly set, projecting 5" above ground, with a brass cap (properly) mkd. from which the remains of a BT mkd. by Lytle & Norseth in 1952

A burned decayed fir stump, 21" dia., bears N.66¾°E., 17.2 ft., with the remains of a healed blaze. Tree falls on the top of a cut bank, 25 ft. high.

continued next page

TOWNSHIP 19 RANGE 08 POINT IDENTIFIER # 540100

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Sec. 35; & 2, T20-8

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

and the remains of a BT mkd. by Glenn, et al. in 1967
A burned decayed fir stump, 28" dia., bears N.59°W., 34.3 ft., with axe marks on the bark. (Record. N.57°W.)
and the remains of a BT mkd. by Skinner
A fir snag, 12" dia., bears N.49½°W., 44.3 ft., with a healed blaze.
and new bearing trees
A fir, 9" dia., bears S.7¾°E., 7.3 ft., mkd. ¼ S2 BT.
A fir, 9" dia., bears N.38¾°W., 15.3 ft., mkd. ¼ S35 BT.
An aluminum fence post with a USFS sign is alongside the cor.
NAD 1983 (2011)
Latitude: 43°51'44.23"N Longitude: 123°36'34.82" W

Fd as per rec. by D Edwards 4/2019, M175-39