

TOWNSHIP 20 RANGE 07 POINT IDENTIFIER # 300200

PRIMARY CORNER DESCRIPTION Cor. Secs. 28, 29, 32, & 33

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by Thos. E. Todd under Contract No. 574 dated May 19, 1891 - (DCSO recs. Vol. 2 Page(s) 609)

-----  
A fir 6" dia., which I marked T 20 S S 28 on NE, R7W S33 on SE, S 32 on SW, S 29 on NW faces, with 1 notch on S & 4 notches on E edges, for cor. to secs. 32, 33, 28, & 29; from which

- A maple, 7" dia., bears N.70°E., 52 lks., mkd: T20S R7W S28 BT.
- A hemlock, 7" dia., bears S.31°E., 5 lks., mkd: T20S R7W S33 BT.
- A cedar, 30" dia., bears S.40°W., 143 lks., mkd: T20S R7W S32 BT.
- A hemlock, 14" dia., bears N.58°W., 24 lks., mkd: T20S R7W S29 BT.

Wilford N. Haines - For: Woolley Logging - 1961 - C.S. File 51/222 & M21-76

-----  
Found - Corner tree down.  
Set - 1"x1"x36" T iron.  
Scribed- 33" Fir S.66°E., 27.0 ft.  
          40" Fir N.35°W., 27.7 ft.  
Cedar was 43 lks., not 143.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy Co. Surveyor - Vernon Tracy - Clete Putnam - May 1962 - C.S. File 49/89-33

-----  
Found - Haines "T" iron driven alongside remnants of corner tree, which is down & partly decayed.  
Live Hemlock now 15", S.31°E., 3.3 ft. Has been previously opened. Good scribing "W S33" visible on old face.  
Maple, uprooted & down N.70°E., 34.3 ft., shows good scar.  
Hemlock, uprooted 7 down, N.58°W., 15.8 ft. buried under pile of logs & tops.  
Cedar to SW not found.  
33" D.Fir scribed by Haines, in wood S.66°E. 27.0 ft  
40" D.Fir N.35°W., 50.7 ft. (instead of 27.7 ft) bark scribed by Haines.

DID NOT SET BRASS CAP

New BT - 42" R.Cedar S.52°W. 40.8 ft. mkd: T20S R7W S32 CS BT  
Corner lies approx. 50 ft. West of graveled logging Rd.

9/8/1966 Corner OK, Missed by Oxbow Fire - C.S. File 54/22-8B  
continued next page

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

BLM dependent resurvey by Lynn M. Roseberry & Wm. W. Glenn, Cadastral Surveyors, under Group #350 & 622, surveyed Oct. 1966/May 1967 (DCSO records Vol. 34 Page(s) 14152)

-----  
The cor. of secs. 28, 29, 32, & 33, perpetuated & recorded by Haines in 1961, monumented with the remains of the orig. corner tree, a rotted fir stump, 12" dia., with fragmentary scribe marks visible on the NW face, alongside of which has been driven a 1"x1" T-iron, 36" long, protruding 6" above ground, with a metal disc, 1" dia. mkd: WILFORD N. HAINES 239 DRAIN OREGON SURVEY POINT from which the remaining orig. BT:

A hemlock, 18" dia., bears S.31°E., 5 lks., with scribe marks W S33 visible on opened blaze.  
and bearing trees marked by Haines in 1961

A cedar stump, 25" dia., bears S.54°W., 42 lks., with a metal disc, 1" dia., attached with a nail & marked WILFORD N. HAINES 239 DRAIN OREGON SURVEY POINT.

A fir, 50" dia., bears N.35°W., 79 lks., with scribe marks T20S R7W S29 BT visible on bark blaze.  
and a BT marked by the County Surveyor in 1962

A cedar, 45" dia., bears S.52°W., 61 lks., with scribe marks T20S R7W S32 CS BT visible on open blaze.

At the corner point

Set an iron post, 28" long, 2½" dia., 24" in the ground, with brass cap marked:

T20S	R7W
<u>S 29</u>	<u>S 28</u>
S 32	S 33
1967	

from which a new BT

A fir, 32" dia., bears N.59°E., 172 lks., mkd: T20S R7W S28 BT.

Set a steel fence post & the T-iron alongside the iron post.

BLM Dependent resurvey by Wayne Rogers & Lance J. Bishop, Cadastral Surveyor, under Group #1159, surveyed Aug.1983/ May 1984 - (DCSO records Vol. 47 Page(s) 18043-4)

-----  
The cor. of secs. 28, 29, 32, and 33 monumented with an iron post, 2½" dia., firmly set, projecting 4" above ground, with brass cap mkd.:

T 20	S R 7 W
<u>S 29</u>	<u>S 28</u>
S 32	S 33
1967	

from which the remaining original BT

A hemlock, 24" dia., bears S.31°E., 5 lks., with scribe marks W S 33 visible on opened blaze.

and the remains of BTs mkd. by Haines, in 1961  
continued next page

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A cedar stump, 23" dia., bears S.46°W., 42 lks., with a metal disc, 1 in. dia., mkd. Wilford N. Haines 239 Survey Point Drain Oregon attached. (Record, S.54°W.)  
A fir, 53" dia., bears N.35°W., 79 lks., with scribe marks T20S R7W S29 BT visible on bark blaze.  
and the remains of a BT mkd. by Godfrey in 1962  
A sawed cedar stump, 52" dia., bears S.52°W., 61 lks., with scribe marks T20S R7W S32 BT visible on partially healed double blaze.  
and a BT mkd. by Roseberry and Glenn, in 1967  
A fir, 35" dia., bears N.59°E., 167 lks., with healed blaze. (Record, 172 lks.)  
and a new BT  
A hemlock, 23" dia., bears S.26°W., 70 lks., mkd. T20S R7W S32 BT.

BLM Dependent Retracement by A Bert Skeesick, Cadastral Surveyor Under Group No. 2500, Surveyed May 2012 - DCSO records BLM Plat 2013-1, T20-7 & Vol. 58 Page(s) 22950 (filed 3/21/2013)

-----  
The cor. of secs. 28, 29, 32, and 33, monumented with an iron post, 2½" dia., firmly set, projecting 4" above ground (alongside of which is a T-shaped iron rod, ¾" dia., firmly set, projecting 7" above ground, with brass disk mkd. WILFORD N HAINES 239 SURVEY POINT DRAIN ORE), with brass cap (properly) mkd.  
from which the remaining original bearing tree  
A hemlock, 33" dia., bears S.31°E., 3.3 ft., with a healed blaze.  
and the remains of BTs mkd. by Homes, PLS No. 239, in 1961  
A decayed cedar stump, size indeterminate, bears S.46°W., 27.7 ft., with no marks visible.  
A fir, 64" dia., bears N.35°W., 50.0 ft with scribe marks T20S R W S29 BT visible on the bark. (Record, 52.1 ft.)  
and the remains of a BT mkd. by Godfrey, in 1962  
A sawed, decayed cedar stump, 50" dia. bears S.52°W., 40.3 ft., with scribe marks 7W S3 visible on an open blaze.  
and the remains of a BT mkd. by Roseberry and Glenn  
A roothole bears N.59°E., 110.2 ft., alongside of which is a fallen fir snag, 45" dia., with no marks visible.  
and the remains of a BT mkd. by Rogers and Bishop  
A decayed hemlock stump, size indeterminate, bears S.26°W., 46.2 ft., with scribe marks 32 BT visible on an open blaze.  
and new bearing trees  
A fir, 16" dia., bears N.49¾°E., 39.3 ft., mkd. T20S R7W S28BT.  
continued next page

TOWNSHIP 20 RANGE 07 POINT IDENTIFIER # 300200

PRIMARY CORNER DESCRIPTION Cor. Secs. 28, 29, 32, & 33

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

A fir, 9" dia. bears S.55°W., 46.0 ft. mkd T20S R7W S32 BT  
Latitude 43°47'37.68"N. Longitude 123°32'57.95"W.  
(NAD 1983 (CORS 96))

BLM resurvey by George M. Winter, Cadastral Surveyor, under  
Group No. 2699, surveyed May/Sept 2013 - (DCSO records Vol.  
58 page(s) 23138-7)

-----  
The cor. of secs. 28, 29, 32, and 33, monumented with an iron  
post, 2½" dia., firmly set, projecting 2" above ground, with  
brass cap (properly) mkd.

from which the remaining original bearing tree

A hemlock, 33" dia., bears S.31°E., 3.3 ft., with a healed  
blaze.

and the remains of BTs mkd. by Haines, in 1961

A decayed cedar stump, with a 16" dia. hemlock growing  
inside, bears S.46°W., 27.7 ft., with no marks visible.

A fir, 64" dia., bears N.35°W., 52.1 ft., with scribe  
marks T20S R7W S29 BT visible on bark and a healed  
blaze. (Record, 50.0 ft.)

and remains of a BT mkd. by Godfrey, in 1962

A cedar stump, 50" dia., bears S.52°W., 40.3 ft., with  
scribe marks 7W S3 visible on an open blaze.

and the remains of a BT mkd. by Roseberry & Glenn in 1966-67

A roothole bears N.59°E., 110.2 ft., with fallen fir snag,  
45" dia., lying downhill, with no marks visible.

and remains of a BT mkd. by Rogers and Bishop in 1983-84

A decayed hemlock stump, size indeterminate, bears  
S.26°W., 46.2 ft., with a decayed blaze and no marks  
visible.

and bearing trees mkd. by Skeesick in 2012

A fir, 16" dia., bears N.49¾°E., 39.3 ft., with illegible  
scribe marks visible on an open blaze.

A fir, 9" dia., bears S.55°W., 46.0 ft., with scribe marks  
T 20S R7W S32 BT visible on an open blaze.

Alongside the cor. is a T-shaped iron rod, ¾" dia., firmly  
set, projecting 4" above ground, with faintly mkd. brass disk  
on top

NAD 1983 (2011)

Latitude: 43°47'37.68"N Longitude: 123°32'57.94" W

FD. per BLM resurvey (not filed as of 11/2012: see above) by  
D. Edwards, 11/2012 - M164-39

FD by R. Rice 3/2016 by R. Rice