

PRIMARY CORNER DESCRIPTION Cor. Secs. 22, 23, 36, & 27

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by Thos. E. Todd under Contract No. 574 dated May 19, 1891 - (DCSO recs. Vol. 2 Page(s) 595)

Set sandstone, 18x14x10" 12" in the ground for the cor. to secs. 22, 23, 26, & 27 marked with 2 notches on S & E edges; from which

- A fir, 10" dia. bears N.7°E., 95 lks. mkd: T20S R7W S23 BT
- A cedar, 36" dia., bears S.66°E., 54 lks., mkd: T20S R7W S26 BT.
- A maple, 6" dia., bears S.84°W., 64 lks., mkd: T20S R7W S27 BT.
- A cedar, 14" dia., bears N.55°W., 118 lks., mkd: T20S R7W S22 BT.

Wilford N. Haines - For: Woolley Logging - 11/17/1967 - M35-3

- Found - Rock with "X". This rock was not in this position in 1946 when I first was at this corner.
- Set - 5/8" steel rod by rock, corner appears to be S & E of rock, I did not have notes.
- Found - Orig. 48" Fir N.7°E., 95 lks., 55.40 ft.
Orig. 36" Cedar N.59°W., 118 lks., 75.87 ft.
Orig. 48" Cedar stub S.66°E., 54 lks., 41.03 ft.
(Dist. measured to center of BTs)

Douglas Co. Surveyors Office - L.E. Monrean - P.L. Earl - J.H. Cook - 8/5/1976 - C.S. File 59/18-15

- Reported as not found.
- Found - A stone 11x10x14 inches with "X" chiseled on top. Stone setting on surface. (Rec. 18x14x10" stone 2 notches on South & East edges) Also found 5/8" dia., iron rod on North side of stone. (Rod set by Haines 1967)
 - A Fir, 50" dia., bears N.10°E., 54.9 ft. (rec. N.7°E., 62.7 ft.) I opened tree, found no scribing or blaze. Tree is approx 101 years old.
 - A Cedar, 50" dia., bears N.55°W., 74.5 ft. (rec. N.55°W., 77.9 ft.) Base of tree is badly burned & rotted No scribing found.
 - A Cedar, now a 22" dia., stump bears S.70°E., 40.4 ft., (rec. S.66°E., 35.6 ft.) stump badly rotted, no scribing found.
- As there is no orig. evidence at this corner I do not set brass cap.
- Mag. Decl. 20°E

continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 22, 23, 36, & 27

Alias _____ Description _____
 Alias _____ Description _____
 Alias _____ Description _____
 Alias _____ Description _____

Bruce Shaner - For: Woolley Logging - Aug. 11, 1976 - M61-17

Found - 5/8" iron rod set by Wilford N. Haines in 1967 & a
 12"x10"x10" rock with "X"

Set - Brass cap from which:

- Fd. BTs- 48" D.Fir, orig. BT with old face & old BT tag. No
 scribed vis. bears N.7°E. 55.4 ft. (Rec. 62.7 ft)
- 36" Cedar, orig. BT. Badly burned stump, bears
 S.66°E., 41.0 ft. (Rec. 35.6 ft.)
- 48" Maple, possible orig. BT, bears S.84°W., 56.0
 ft. (Rec. 42.2 ft.)
- 36" Cedar, orig. BT, badly burned face, bears
 N.55°W., 75.9 ft. (Rec. 77.9 ft.)

These measurements agree with those made by Haines in 1967.
 As Haines had been at this same cor. in 1946 & used it again
 in 1967, I must agree with his position in 1976. Cruiser
 marks are on several trees around the corner.

- New BTs- 28" D.Fir scribed "T20S R7W S27 BT" bears S.87°W.,
 24.8 ft.
- 28" D.Fir scribed "T20S R7W S22 BT" bears N.28°W.,
 33.0 ft.
- 14" D.Fir scribed "T20S R7W S23 BT" bears N.15½°E.,
 75.2 ft.
- 26" D.Fir scribed "T20S R7W S26 BT" bears S.86°E.,
 95.3 ft.

Fd. Ok by D. Edwards, 10/1995 - M122-71

BLM Dependent resurvey by Wayne Rogers, Cadastral Surveyor,
 under Group #1502, surveyed Aug.1989/April 1991 - (DCSO
 records Vol. 50 Page(s) 19079-80)

The cor. of secs. 22, 23, 26, & 27, perpetuated & recorded by
 Haines, in 1967, & further perpetuated & recorded by Shaner,
 in 1976; monumented with an iron post, 2½" diam., firmly set,
 projecting 4" above ground (alongside of which is the orig.
 stone, 14x12x10" [rec., 18x14x10"], mkd. X on top, & an iron
 rod, 5/8" dia., firmly set, projecting 6" above ground), with
 brass cap mkd.

T20S R7W WM
 _____ S22 S23
 S27 S26
 1976

- from which the remains of the original bearing trees
- A fir, 49" dia., bears N.9½°E., 84 lks., no marks visible
 on opened, axed blaze. (Record, N.7°E., 95 lks.)
- A cedar stub, size indeterminate, bears S.70°E., 60 lks.,
 no marks visible. (Record, S.66°E., 54 lks.)

continued next page

TOWNSHIP 20 RANGE 07 POINT IDENTIFIER # 500300

PRIMARY CORNER DESCRIPTION Cor. Secs. 22, 23, 36, & 27

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A cedar, 46" dia., bears N.55°W., 113 lks., with open, burned blaze. (Record, 118 lks.)
and bearing trees mkd. by Shaner
A fir, 18" dia. bears N.16³/₄°E., 114 lks. with healed blaze
A fir, 27" dia. bears S.86¹/₂°E., 144 lks., with fragmentary scribe marks visible on partially healed blaze.
A fir, 31" dia. bears S.85¹/₄°W., 37 lks. with healed blaze.
A fir, 29" dia., bears N.28¹/₄°W., 51 lks., with fragmentary scribe marks visible on partially healed blaze.

Fd. OK by D.Edwards 6/1998 M130-2