

PRIMARY CORNER DESCRIPTION Cor. Secs. 8, 9, 16, & 17

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Wm. P. Wright, Deputy Surveyor, under contract #486, dated Aug. 1, 1883 - (DCSO records Vol. 2 Page(s) 486)

Set post, 6" dia., 4 ft. long, with marked stone, 12" in ground, for cor. to secs. 8, 9, 16, & 17, mkd. T 20S S 9 on NE, R 8W S 16 on SE, S 17 on SW, S 8 on NW face, with 4 notches on E & S edges; from which

Maple, 20" dia., bears N.70°E., 32 lks., mkd: T20S R8W S9 BT.

Fir, 50" dia., bears S.47°E., 56 lks. mkd: T20S R8W S16 BT

Maple, 24" dia., bears S.61°W., 49 lks., mkd: T20S R8W S17 BT.

Fir, 48" dia., bears N.23°W., 40 lks., mkd: T20S R8W S8 BT

BLM dependent resurvey by Thomas A Tillman, Raymond M. Bicknell, Han W. Thielsen & Joseph S. Gawron, Cadastral Engineers, under Group No. 305 surveyed Aug. 1953 thru Sept. 1954 - (DCSO recs. Vol. 29 Page(s) 12376-7)

The cor. of secs. 8, 9, 16 & 17, determined at record bearing from the orig. BTs:

A rotted Maple stump, 20" dia. bears N.70°E., 34 lks., with no marks remaining. (Rec. dist. 32 lks.)

A fir snag, 86" bears S.47°E., 68 lks., with traces of marks remaining on bark. (Rec. dist. 56 lks.)

A Maple, 40" dia. bears S.61°W. 53 lks., marked with a healed blaze. (Rec. dist. 49 lks.)

A fir snag, 50" dia., bears N.23°W., 41 lks., with traces of marks remaining on bark. (Rec. dist. 40 lks.)

At the corner point

Set an iron post, 3 ft. long, 2" dia., 28" in the ground, with brass cap marked

T20S	R8W
S 8	S 9
S 17	S 16
1954	

from which new BTs

A hemlock, 8" dia., bears N.50¼°E., 68 lks., mkd: T20S R8W S9 BT.

A cedar, 31" dia., bears S.56¼°E., 76 lks., mkd: T20S R8W S16 BT.

A fir, 75" dia., bears S.85½°W., 48 lks., mkd: T20S R8W S17 BT.

A cedar, 26" dia., bears N.8½°W., 29 lks., mkd: T20S R8W S8 BT.

continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 8, 9, 16, & 17

Alias	Description
Alias	Description
Alias	Description
Alias	Description

BLM remonumentation of Orig. corner points by Wm. W. Glenn, C. Albert White, & James E. Jelley, Cadastral Surveyors, under Group #s 350 & 635, surveyed April & May 1967 (DCSO records Vol. 43 Page(s) 16743)

The cor. of secs. 8, 9, 16, & 17, monumented with an iron post, 2" dia., firmly set, projecting 6" above ground, with brass cap (properly) mkd.

from which the remains of the Orig. BTs

A sawed fir stump, 86" bears S.47°E., 68 lks., with no marks remaining on decayed blaze.

A Maple, 41" dia. bears S.61°W. 53 lks., with healed blaze

A sawed fir stump, 41" dia., bears N.23°W., 41 lks., with healed blaze.

and the remaining BTs marked in 1954

A cedar, 35" dia., bears S.56¼°E., 76 lks., with scribe marks T20S R8W S16 BT visible on open blaze.

A fir, 75" dia., bears S.85½°W., 48 lks., with fragmentary scribe marks visible on partially healed blaze.

A cedar, 26" dia., bears N.8½°W., 29 lks., with scribe marks T20S R8W S8 BT visible on partially healed blaze.

and a new BT

A cedar, 40" dia., bears N.31°E., 74½ lks., mkd: T20S R8W S9 BT.

Set a 5 ft. steel fence post alongside the iron post.

BLM remonumentation by Aaron M. Graham, Cadastral Surveyor under Group #2000, surveyed Jan./March 2005 - (DCSO rec. Vol. 55 Page(s) 21768-9)

The cor. of secs. 8, 9, 16, and 17, monumented with an iron post, 2" dia., firmly set, projecting 10 ins. above the ground, with brass cap (properly) mkd.

from which the remains of the original bearing trees

A fir stump, 86" dia., bears S.47°E., 42.2 ft., with no marks visible on open blaze. (Record, 44.9 ft.)

A fir stump, 40" dia., bears N.23°W., 29.1 ft., with a healed blaze. (Record, 27.1 ft.)

and the remains of BTs mkd. by Tillman, et al., in 1953-54

A cedar stump, 38" dia., bears S.56¼°E., 47.9 ft., with no marks visible on decayed blaze. (Record, 50.2 ft.)

A fir stump, 75" dia., bears S.85½°W., 31.7 ft., no marks visible.

A cedar stump, 27" dia., bears N.8½°W., 19.1 ft., with scribe marks T20S R8W S8 BT visible on partially healed blaze.

and the remains of a BT mkd. by Glenn, et al., in 1967

continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 8, 9, 16, & 17

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A cedar stump, 36" dia., bears N.31°E., 49.2 ft., with scribe marks T20S R8W visible on open decayed blaze. and new bearing trees
An alder, 9" dia., bears N.63°E., 28.5 ft., mkd. T20S R8W S9 BT in the bark.
A fir, 16" dia., bears S.63½°E., 35.6 ft., mkd. T20S R8W S16 BT.
A fir, 10" dia., bears S.71½°W., 35.5 ft., mkd. T20S R8W S17 BT.
A hemlock, 17" dia., bears N.20½°W., 32.6 ft., mkd. T20S R8W S8 BT.
Each new bearing tree has a 2½"x ¼" magnetic nail (Mag Nail) driven at the base right side-center.

BLM Dependent Resurvey by Kenneth W. Saveland, Cadastral Surveyor, under Group No. 2670, Surveyed May 2012/June 2013 - (DCSO records Vol. 58 Pages 23044-5)

The cor. of secs. 8, 9, 16, and 17, monumented with an iron post, 2" dia., firmly set, projecting 11" above ground, with a brass cap (properly) mkd. from which the remains of original bearing trees
A fir stump, 86" dia., bears S.47°E., 42.2 ft., no marks visible.
A fir stump, 40" dia., bears N.23°W., 29.1 ft., no marks visible.
and the remains of the BTs mkd. by Tillman, et al., in 1953-54
A decayed cedar stump, size indeterminate, bears S.56¼°E., 47.9 ft., no marks visible.
A decayed fir stump, 75" dia., bears S.85½°W., 31.7 ft., no marks visible.
A cedar stump, 27" dia., bears N.8½°W., 19.1 ft., with scribe marks T20S R8W S8 BT visible on partially healed blaze.
and the remains of a BT mkd. by Glenn, et al., in 1967
A cedar stump, 36" dia., bears N.31°E., 49.2 ft., with scribe marks T20S R8W visible on partially healed blaze.
and the bearing trees mkd. by Graham in 2005
An alder, 11" dia., bears N.63°E., 28.5 ft., with scribe marks T20S R8W S9 BT visible on bark.
A fir, 18" dia., bears S.63½°E., 35.6 ft., with a healed blaze.
A fir, 11" dia., bears S.71½°W., 35.5 ft., with a healed blaze.

continued next page

TOWNSHIP 20 RANGE 08 POINT IDENTIFIER # 300500

PRIMARY CORNER DESCRIPTION Cor. Secs. 8, 9, 16, & 17

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A hemlock, 18" dia., bears N.20½°W., 32.6 ft., with scribe marks OS R8W S8 BT visible on partially healed blaze.
NAD 1983 (2011)
Latitude: 43°50'06.84"N. Longitude: 123°39'34.24"W.