

PRIMARY CORNER DESCRIPTION Cor. Secs. 15, 16, 21, & 22

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

GLO survey by Wm. P. Wright, Deputy Surveyor, under contract #486, dated Aug. 1, 1883 - (DCSO records Vol. 2 Page(s) 478)

Set post, 6" dia., 4 ft. long, with marked stone, 12" in ground, for cor. to secs. 16, 15, 21, & 22, mkd. T 20S S 15 on NE, R 8W S 22 on SE, S 21 on SW, S 16 on NW face, with 3 notches on E & S edges; from which
 Fir, 40" dia., bears N.56°E., 33 lks. mkd: T20S R8W S15 BT
 Cedar, 24" dia. bears S.43°E. 21 lks. mkd: T20S R8W S22 BT
 Fir, 48" dia., bears S.60°W., 13 lks. mkd: T20S R8W S21 BT
 Cedar, 40" dia. bears N.27°W. 38 lks. mkd: T20S R8W S16 BT

BLM dependent resurvey by Thomas A. Tillman, under Group # 292 Surveyed June/Oct. 1950 (DCSO recs Vol. 27 Pages 11350-1)

The cor. of secs. 15, 16, 21, & 22, monumented with a decomposing wooden stake, with no marks remaining, from which orig. BTs
 A fir, 60" dia., bears N.44½°E., 33 lks., scribed in the bark BT S15 & other partial scribe marks (rec. bearing, N.56°E)
 A cedar, 36" dia., bears S.33°45'E., 26 lks., plainly blazed, but scribe marks decayed. I re-blaze alongside the old blaze and mark T20S R8W S22 BT. (Rec. bearing, S.43°E., 21 lks.)
 A fir, 70" dia., bears S.54°W., 19 lks., with scribe marks faintly visible in the bark. (Rec. bearing, S.60°W., 13 lks.)
At the corner point
Set an iron post, 3 ft. long, 2" dia., 28" in the ground, with brass cap marked:
 T20S R8W
 S 16|S 15
 S 21|S 22
 1950
from which new BTs
 A fir, 30" dia. bears N.5°E., 77 lks. mkd: T20S R8W S15 BT
 A cedar, 40" dia., bears N.30°W., 61 lks., mkd: T20S R8W S16 BT.
Deposit the remains of the decayed wooden stake at the base of the iron post.

Fd. & used on BLM dependent resurvey by Thomas A Tillman, Raymond M. Bicknell, Han W. Thielsen & Joseph S. Gawron, Cadastral Engineers, under Group No. 305 surveyed Aug. 1953 thru Sept. 1954 - (DCSO recs. Vol. 29 Page(s) 12368)

continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 15, 16, 21, & 22

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

BLM remonumentation of Orig. corner points by Wm. W. Glenn, C. Albert White, & James E. Jelley, Cadastral Surveyors, under Group #s 350 & 635, surveyed April & May 1967 (DCSO records Vol. 43 Page(s) 16734)

The cor. of secs. 15, 16, 21, & 22, monumented with an iron post, 2" dia., firmly set, projecting 10" above ground with brass cap (properly) mkd.,

from which the remains of the orig. BTs
A burned fir stump, 20" dia., bears N.44½°E., 33 lks., no marks remaining.

A burned cedar, 46" dia., bears S.33¾°E., 26 lks., no marks remaining. Rescribed T20S R8W S22 BT on new blaze.

A burned fir snag, 76" dia, bears S.54°W., 19 lks., no marks remaining on burned blaze. Rescribed T20S R8W S21 BT on new blaze.

from which the remains of the BTs mkd. in 1950

A sawed & burned cedar stump, 55" dia., bears N.30°W., 61 lks., no marks remaining on burned blaze. Rescribed T20S R8W S16 BT on new blaze.

and a new BT

A sawed & burned cedar, stump, 46" dia., bears N.76°E., 12½ lks., mkd: T20S R8W S15 BT.

Set a 6 ft. steel fence post alongside the iron post.

BLM remonumentation by Aaron M. Graham, Cadastral Surveyor under Group #2000, surveyed Jan./March 2005 - (DCSO rec. Vol. 55 Page(s) 21763)

The cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2" dia., firmly set, projecting 10" above the ground, with brass cap (properly) mkd.

from which the remains of the original bearing trees

A burned cedar stump, 46" dia., bears S.33¾°E., 17.2 ft., no marks visible.

A fir snag, 73" dia., bears S.54°W., 12.5 ft., no marks visible.

and the remains of a bearing tree mkd. by Tillman in 1950

A cedar stump, 51" dia., bears N.30°W., 40.3 ft., with no scribe marks visible on open blaze.

and the remains of a BT mkd. by Glenn, et al., in 1967

A decayed cedar stump, size indeterminate, bears N.76°E., 8.3 ft., no marks visible.

and new bearing trees

A fir, 11" dia., bears N.48°E., 24.9 ft., mkd. T20S R8W S15 BT.

continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 15, 16, 21, & 22

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A fir, 21" dia., bears S.51¼°E., 30.0 ft., mkd. T20S R8W S22 BT.

A fir, 22" dia., bears S.31°W., 54.7 ft., mkd. T20S R8W S21 BT.

A fir, 8" dia., bears N.7¾°W., 16.4 ft., mkd. T20S R8W S16 BT.

Each new bearing tree has a 2½"x ¼" magnetic nail (Mag Nail) driven at the base right side-center.

Ron Rice, NW Land Surveying - March 2013 - C.S. File 65/78-27

Condition report

Found - 1950 GLO brass cap with the following accessories:
A burned cedar stump, 46" dia., bears S.33¾°E., 17.2 ft., no marks visible. (Found same)
A fir snag, 73" dia., bears S.54°W., 12.5 ft., no marks visible. (Found same)
A cedar stump, 51" dia., bears N.30°W., 40.3 ft., with no scribe marks visible on open blaze. (Found same)
A decayed cedar stump, size indeterminate, bears N.76°E., 8.3 ft., no marks visible. (Found same)
A fir, 11" dia., bears N.48°E., 24.9 ft., mkd. T20S R8W S15 BT. (Now 15", healed face)
A fir, 21" dia., bears S.51¼°E., 30.0 ft., mkd. T20S R8W S22 BT. (Now 26", healed face)
A fir, 22" dia., bears S.31°W., 54.7 ft., mkd. T20S R8W S21 BT. (Now 26", healed face)
A fir, 8" dia., bears N.7¾°W., 16.4 ft., mkd. T20S R8W S16 BT (Now 11", healed face)
Corner has steel post adjacent to it.
All BTs have red painted bands and yellow tags.
Dec. 16°E

BLM Dependent Resurvey by Kenneth W. Saveland, Cadastral Surveyor, under Group No. 2670, Surveyed May 2012/June 2013 - (DCSO records Vol. 58 Pages 23042)

The cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, with a brass cap (properly) mkd.

from which the remains of the original bearing trees

A decayed cedar stump, 34" dia., bears S.33¾°E., 17.2 ft. with illegible scribe marks visible on partially healed blaze.

A fir stump, 77" dia., bears S.54°W., 12.5 ft. , no marks visible.

continued next page

TOWNSHIP 20 RANGE 08 POINT IDENTIFIER # 400400

PRIMARY CORNER DESCRIPTION Cor. Secs. 15, 16, 21, & 22

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

and the remains of a bearing tree mkd. by Tillman in 1950
A cedar stump, 51" dia., bears N.30°W., 40.3 ft. , no marks visible.

and the remains of a BT mkd. by Glenn, et al., in 1967
A cedar stump, 40" dia., bears N.76°E., 8.3 ft. , no marks visible.

and the bearing trees mkd. by Graham in 2005
A fir, 14" dia., bears N.48°E., 24.9 ft. , with a healed blaze.
A fir, 24" dia., bears S.66¾°E., 30.0 ft. , with a healed blaze. (Record, S.51¼°E.)
A fir, 26" dia., bears S.31°W., 54.7 ft. , with a healed blaze.
A fir, 10" dia., bears N.7¾°W., 16.4 ft. , with a healed blaze

Fd BC & accessories as per M167-55, 12/2014 R. Rice C.S. 65/88-1