

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 2 only (North)

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO survey by Wm. Thiel, Deputy Surveyor, under Contract #567, dated Feb. 16, 1891 (DCSO records Vol. 1 Page(s) 204-005)

A Cedar 8" dia., which I marked for cor. to secs. 1, 2, 35 and 36, T19S S36 on NE.; R9W S1 on SE.; T20S S2 on SW.; S35 on NW. sides, with 1 notch on E. and 5 notches on W. sides; from which

- A Fir 24" dia., bears N.57°E., 14 lks. dist. mkd. T19S R9W S36 BT.
- A Chinquapin 5" dia., bears S.37½°E., 10 lks. dist. mkd. T20S R9W S1 BT.
- A Cherry 4" dia., bears S.67°W., 18 lks. dist. mkd. T20S R9W S2 BT.
- An Alder 10" dia., bears N.58°W., 332 lks. dist. mkd. T19S R9W S35 BT.

GLO Survey by Henry L. Chandler, U.S. Deputy Surveyor, under Contract #705, dated April 14, 1899 - (DCSO records Vol. 1 Page(s) 371)

The cor. of secs. 1 and 2, T20S R9W, which is a Cedar tree, marked and witnessed as described by the surveyor general. The markings referring to secs. on N. were obliterated at the time of my former survey.

* 1899 survey is a corrective resurvey of Chandler's 1895 survey. The Orig. 1895 survey was not accepted but some corners were accepted on a case by case basis. Per Eugene's & Coos Bay's BLM offices.

BLM Resurvey by Thomas A. Tillman and Joseph S. Gawron, Cadastral Engineers, under Group #306, surveyed May 1953/Oct. 1954 - (DCSO records Vol. 29 Page(s) 12459)

The cor. of secs. 1 and 2, marked by the rotted remains of a Cedar stump, size indeterminate, from which the remaining original bearing trees,

- A Fir 36" dia., bears N.45°E., 14 lks. dist., with partial scribe marks visible on bark blaze. (Rec. brg. N.57°E.)
- A Chinquapin 12" dia., bears S.37½°E., 10 lks. dist., with blaze nearly healed.

At the corner point
Set an iron post, 3 ft. long, 2" dia., 8" in the ground, to solid bed rock, and in a mound of stone, 4 ft. base to top, with brass cap mkd:

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 2 only (North)

Alias	Description
Alias	Description
Alias	Description
Alias	Description

T 19 S R 9 W
S 36
S 2*S 1
T 20 S*R 9 W
1953

from which new bearing trees:

A Fir 35" dia., bears S.25°E., 70 lks. dist. mkd. T20S R9W S1 BT.

An Alder 12" dia., bears S.60°W., 28 lks. dist. mkd. T20S R9W S2 BT.

BLM Remonumentation of corner by Norman J. McDonald, Cadastral Surveyor, under Group #350, surveyed May 15, 1963 -(DCSO records Vol. 31 Page(s) 13134)

At the sec. cor., the iron post set in 1953 has slid out of position and the true position is determined at record bearing and distance from the original and the 1953 BTs.

RESET the iron post 3 ft. long, 2" dia., 16" in the ground to solid rock, and in a mound of stone, 3 ft. base to top, with brass cap as mkd. in 1953,

from which the original bearing trees:

A down Fir 36" dia., bears N.45°E., 14 lks. dist.

A Chinquapin stub 12" dia., bears S.37½°E., 10 lks. dist. with a healed blaze.

and the 1953 bearing trees:

A down Fir 35" dia., bears S.25°E., 70 lks. dist. mkd. T20S R9W S1 BT.

An Alder 13" dia., bears S.60°W., 28 lks. dist., mkd. T20S R9W S2 BT.

and a new bearing tree:

A Fir 30" dia., bears S.59°E., 30 lks. dist. mkd. T20S R9W S1 BT.

Ron Rice, NW Land Surveying - Jason Collier - May 2012 - C.S. File 65/76-48 & M167-71 (2/2014)

Found - 2½" GLO brass cap on iron pipe, dated 1953
A down Fir 35" dia., bears S.25°E., 70 lks. mkd. T20S R9W S1 BT. (Found down Fir, No marks)

An Alder 13" dia., bears S.60°W., 28 lks., mkd. T20S R9W S2 BT. (Missing)

A Fir 30" dia., bears S.59°E., 30 lks. mkd. T20S R9W S1 BT. (Found 30" Fir stump, No marks)

New - 17" D.Fir bears S.81°W., 8.0 ft. blazed, scribed, T20S R9W S2 BT

13" D.Fir bears S.79°E., 14.2 ft. blazed, scribed, T20S R9W S1 BT. continued next page

TOWNSHIP 20 RANGE 09 POINT IDENTIFIER # 600700

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 2 only (North)

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Note - Corner has steel post adjacent to it. All BTs have
red painted bands and yellow tags.
Compass Declination 16° East