

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 10 and 15

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by Harvey Gordon Deputy Surveyor, under Contract #69 dated Feb. 2, 1857 (DCSO records Vol. 1 Page(s) 29)

-----  
Set ¼ sec. post, from which  
A Spruce 36" dia., bears S.65°E., 20 lks. dist.  
A Spruce 24" dia., bears N.14°W., 23 lks. dist.

Survey by W.G. Corbitt; H. Henderickson - For: Crown Zellerbach - April 15, 1943 - C.S. File 52/91

-----  
Corbitt found 24" Fir stump as related by John Miller in 1941. In 1943, returned to Fir stump and cut into bump below burnt face where BT marks should be. Found blazed face and one axe notch. Counted annual rings on growth since blaze made and got about 72 years which agrees with period of original survey and Miller's statement.

From this set ¼ corner with 1½" pipe 5 ft. long, from which bears:

- Orig. 36" Spruce which is really a 30" Fir stump S.65°E., 13.2 ft. to nail crayon mkd. "¼ S15 RP BT"
- Orig. 24" Spruce really a 36" rotten stump, N.14°30'W., to nail on E. side. No marks visible.
- I blazed a 24" Fir stump N.70°30'E., 24.9 ft. to nail crayon mkd. "¼ S10 RP BT"

Douglas Co. Surveyors Office - Randall Smith and Stephen Flause, crew - Oct. 4, 1988 - C.S. File 62/59-2

-----  
Found - 2" O.D. Iron pipe rusted and top broken, protrudes 2" above the ground.

24" now 32" dia. 3 ft. high burnt Spruce stump, we open, no scribing or blazes found. Nail was found along E. side of stump. Bears N.21°W., 15.8 ft. (Orig. rec., N.14°W., 15.2 ft.)

36" dia. Spruce now a 30" dia. 4 ft. high burnt D.Fir stump occupies position. Possible open blaze with axe marks, no scribing found. Bears S.65°E., 13.8 ft. (Orig. rec. S.65°E., 13.2 ft.)

24" now 24" dia., 3½ ft. high D.Fir stump with a possible open face, no marks seen, bears N.70½°E., 25.5 ft. (Rec. N.70½°E., 24.9 ft. dist. is a possible face measurement)

New BTs -11" Spruce, PK nail on E. base, bears S.25½°E., 2.85 ft.

10" D.Fir, PK nail on S. base, bears S.81°E., 9.6 ft

15" double trunked Spruce, PK nail on E. base, bears N.1°E., 16.0 ft.

(Cont. Next Page)

