

PRIMARY CORNER DESCRIPTION Sec. Cor. for 26, 27, 34 and 35

Alias	Description

GLO survey by Harvey Gordon and Charles T. Gardner, Deputy Surveyors, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 2 Page(s) 757)

-
- Set post corner of secs. 26, 27, 34 and 35, from which
- A Fir 24" dia., bears S.68°W., 18 lks. dist.
 - A Fir 30" dia., bears N.86°E., 36 lks. dist.
 - A Fir 40" dia., bears S.8½°E., 36 lks. dist.
 - A Laurel 10" dia., bears N.73°W., 30 lks. dist.

BLM Resurvey by Lynn M. Roseberry, Cadastral Surveyor - Under Group #398 Surveyed, April/May 1958 - (DCSO records Vol. 31 Page(s) 12991-92)

-
- The Sec. Cor., monumented with a Fir stake 1" sq., 2 ft. long, protruding 18" above ground, firmly set, point for cor. falls on a spur, sloping W.
- from which the remaining original bearing trees:
- A sawed Fir stump 38" dia., bears N.86°E., 39 lks. dist., with no marks visible. (Rec. dist. 36 lks.)
 - A Fir 50" dia., bears S.80°E., 39 lks. dist., bark scribed T21S R4W S35 over original bark scribes. (Rec. S.8½°E., 36 lks.)
 - A Fir 38" dia., bears S.63°W., 20 lks. dist., bark scribed T21S R4W over illegible original bark scribes. (Rec. S.68°W., 18 lks. dist.)

At the corner point
Set an iron post, 28" long, 2 1/2" dia., 24" in the ground, with brass cap mkd:

T 21	S R 4 W
<u>S 27</u>	<u>S 26</u>
S 34	S 35
1958	

- from which
- A W. Fir 22" dia., bears N.66¼°E., 97½ lks. dist., mkd. T21S R4W S26 BT.
 - A Chinquapin 5" dia., bears N.21¼°W., 55 lks. dist., mkd. T21S R4W S27 BT.
- Reset the Fir stake alongside the iron post.

Fd. OK May 1987 by D. Peel - M 104-28

BLM resurvey by James E. Jelley and Wayne L. Rogers, Cadastral Surveyors, under Group #1026, surveyed July 1980/March 1981 - (DCSO records Vol. 44 Page(s) 16958)

The Sec. Cor., monumented with an iron post 2½" dia., firmly set, projecting 6" above ground, with brass cap mkd. in 1958, (Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 26, 27, 34 and 35

Alias	Description
Alias	Description
Alias	Description
Alias	Description

from which the remains of the original bearing trees:
A sawed Fir stump 42" dia., bears N.86°E., 39 lks. dist., no marks visible.
A Fir 52" dia., bears S.80°E., 39 lks. dist., with scribe marks T21S R4W S35 visible on bark.
A Fir 38" dia., bears S.63°W., 20 lks. dist., with scribe marks T21 4 W visible on bark.
and bearing trees mkd. by Roseberry:
A Grand Fir 24" dia., bears N.66¼°E., 97½ lks. dist., with healed blaze.
A Chinquapin 5" dia., bears N.21¼°W., 55 lks. dist., with scribe marks T21S R4W S visible on open blaze.
and a new bearing tree
A Fir 6" dia., bears N.56 3/4°W., 74 lks. dist., mkd. T21S R4W S27 BT.

BLM dependent resurvey by Harvey M. Christensen, LS 2603, under group # 2171, surveyed Nov. 2007/Aug. 2008 - (DCSO records Vol. 55 Page(s) 21529)

The cor. of secs. 26, 27, 34, and 35, monumented with an iron post, 2½" dia., firmly set, projecting 6" above the ground, with brass cap (properly) mkd.
from which the remains of original BTs reported by Roseberry
A sawed and decayed fir stump, 42" dia., bears N.86°E., 25.7 ft., no marks visible.
A fir, 54" dia., bears S.80°E., 25.7 ft., with illegible scribe marks over original scribe marks visible on bark
A fir, 39" dia., bears S.63°W., 13.2 ft., with illegible scribe marks over original scribe marks visible on bark
and the remains of a bearing tree mkd. by Roseberry
A G.Fir, 28" dia., bears N.66¼°E., 64.4 ft., with a healed blaze.
and a bearing tree mkd. by Jelley and Rogers
A fir, 9" dia., bears N.56¾°W., 48.8 ft., with a healed blaze.
and a new bearing tree
A D.Fir, 9" dia., bears N.0½°E., 38.9 ft., mkd. T21S R4W S27 BT.
Set 5 ft. aluminum fence post alongside cor.