

PRIMARY CORNER DESCRIPTION Cor. Secs. 17, 18, 19, & 20

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Wm. P. Wright, Deputy Surveyor, under contract #514, dated Aug. 27, 1884 - (DCSO records Vol. 2 Pages 670-1)

Set post, 6" dia., 4 ft. long, with marked stone, 12" in ground, for cor. to secs. 17, 18, 19, & 20, mkd. T 21 S S 17 on NE, R 7 W S 20 on SE, S 19 on SW, S 18 on NW face, with 5 notches on E & 3 on S edge; from which

- Fir, 20" dia. bears N.88°E., 62 lks. mkd: T21S R7W S17 BT.
- Fir, 14" dia. bears S.37°E., 36 lks. mkd: T21S R7W S20 BT.
- Fir, 30" dia. bears S.28°W., 56 lks. mkd: T21S R7W S19 BT
- Fir, 30" dia. bears N.13°W., 64 lks. mkd: T21S R7W S18 BT.

BLM dependent resurvey by Donald R. Beck, Cadastral Surveyor, under group #655, surveyed Sept./Oct. 1967 - (DCSO records Vol. 34 Page(s) 14162-3)

The cor. of secs. 17, 18, 19, & 20, determined from the remains of the orig. BTs:

- A rotted fir stump, 35" dia., bears N.88°E., 62 lks., no marks remaining.
- A rotted fir stump 12" dia. bears S.42°E. 31 lks. with old axe marks visible on the bark. (Rec. S.37°E. 36 lks.)
- A rotted fir stump, 37" dia., bears S.28°W., 48 lks., no marks remaining. (Rec. & slope dist., 56 lks.)
- A rotted fir stump, 35" dia., bears N.13°W., 64 lks., no marks remaining.

At the corner point

Set an iron post, 28" long, 2½" dia., 21" in the ground, with brass cap marked:

T 21 S	R 7 W
S 18	S 17
S 19	S 20

1967

from which

- A Hemlock, 13" dia., bears N.26°E., 39 lks., mkd: T21S R7W S17 BT.
- A Fir, 38" dia., bears S.73°E., 113 lks., mkd: T21S R7W S20 BT.
- A Hemlock, 12" dia., bears S.34°W., 21 lks., mkd: T21S R7W S19 BT.
- A Hemlock, 15" dia., bears N.29°W., 58 lks., mkd: T21S R7W S18 BT.

Douglas Co. Surveyors Office - R.B. Kimberling - P.L. Earle - July 27, 1977 - C.S. File 59/38-8

Found - 1967 BLM brass cap 6" above ground & properly mkd. A 13", Hemlock now 15", bears N.33°E. 24.8 ft. (rec. N.26°E. 25.7') with single partially healed blaze mkd:T21S R7W S17 BT. continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs. 17, 18, 19, & 20

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A 38" Fir, now 40" bears S.73°E., 74.6 ft. with single well healed blaze.

A 12" Hemlock now 14" S.36½°W., 13.2 ft. (Rec. S.34°W., 13.9 ft.) with single partially healed blaze mkd: T21S R7W S19 BT

A Hemlock stump 15" now 18" bears N.26°W., 38.3 ft. (Rec. N.29°W.) with bottom of single partially healed blaze "W S18 BT"

New BT - 8" Hemlock N.87°W., 5.4 ft., single blazed & mkd: T21S R7W S18 BT

Note - Corner is in SE corner of clearcut unit.

Douglas Co. Surveyors Office - L.E. Monrean, Deputy - Karen Reed - Karen Mosley - April 22, 1980 - C.S. File 61/6-32

Found - 1967 BLM brass cap as per 1977 ren.
All BTs are stumps now due to logging in progress.
Did find a 12" Hemlock, now 13", (rec. 14") bears S.34°W., 13.7 ft. (Rec. S.34°W., 13.9 ft.) (1977, S.36½°W., 13.2 ft.)

Set - A 5/8" IR under BLM brass cap 1.5 ft. under ground.
A 48" Fir stump bears N.69°W., 26.4 ft. to a PK nail set in notch in Easterly face of stump.
A 26" Cedar stump N.56°E., 26.5 ft. to PK nail set in top.

Douglas Co. Surveyors Office - Greg Quibell, Deputy - Teresa Buley - 12/7/1981 - C.S. File 61/29-40

Condition report only

Found - 1967 BLM brass cap properly mkd. & firmly set protruding 12" out of ground.

15" Hemlock per 1977 ren., now high stump with metal cover scribed "T21S R7W S17 BT" in partially healed blaze, bears N.33°E., 24.8 ft.

8" Hemlock per 1977 ren., now high stump with metal cover scribed "T21S R7W S17 BT" in unhealed blaze, bears N.87°W., 5.4 ft.

13" Hemlock per 1980 ren., now high stump with metal cover scribed "T21S R7W S17 BT" in partially healed blaze, bears S.34°W., 13.7 ft.

PK nail in 48" Fir stump per 1980 ren. bears N.69°W., 26.4 ft.

PK nail in 26" Cedar stump per 1980 ren. bears N.56°E., 26.5 ft.

Note - Corner lies on end of clear-cut ridge approx. 200 yds. north of north edge of landing.

cont.

PRIMARY CORNER DESCRIPTION Cor. Secs. 17, 18, 19, & 20

Alias	Description

Dependent resurvey by Edith M Forkner, Cadastral Surveyor, under Group #2114, surveyed Sept. 2005/Oct. 2006 - (DCSO records Vol. 55 Page(s) 21649-50)

The cor. of secs. 17, 18, 19, and 20, monumented with an iron post, 2½" dia., firmly set, projecting 11" above ground, with brass cap (properly) mkd.

from which the remains of the original bearing trees

A decayed fir stump, size indeterminate, bears S.42°E., 20.5 ft., no marks visible.

A decayed fir stump, burned to ground, size indeterminate, bears S.31½°W., 31.7 ft., no marks visible. (Record, S.28°W.)

A burned decayed fir stump, size indeterminate, bears N.13°W., 42.2 ft., no marks visible.

and the remains of the bearing trees mkd. by Beck in 1967

A decayed hemlock stump, size indeterminate, bears N.32°E., 23.8 ft., no marks visible. (Record, N.26°E., 25.7 ft.)

A fir stump, 37" dia., bears S.74½°E., 72.5 ft., with scribe marks and reverse scribe marks 0 BT visible on partially opened blaze. (Record, S.73°E., 74.6 ft.)

A decayed hemlock stump, size indeterminate, bears S.35½°W., 13.9 ft., no marks visible, with a down hemlock log, tin-capped, 14" dia., alongside, with illegible scribe marks visible on partially healed blaze. (Record, S.34°W.)

A hemlock stump, 17" dia., bears N.27°W., 37.0 ft., no marks visible. (Record, N.29°W., 38.3 ft.)

and the remains of a BT mkd by the Doug. Co Surveyor in 1977

A roothole bears N.87°W., 5.4 ft., with a down decayed hemlock log, tin-capped, 8" dia., alongside, with scribe marks T21S R7W S18 CS BT visible on open blaze.

and the remains of BTs mkd. by the Doug. Co. Surveyor in 1980

A cedar stump, 24" dia., bears N.58¼°E., 25.8 ft., no marks visible.

A decayed fir stump, 41" dia., bears N.69°W., 28.4 ft., no marks visible.

and new bearing trees

A fir, 5" dia., bears N.42°E., 23.8 ft., mkd. X BT.

A hemlock, 6" dia., bears S.78½°E., 17.2 ft., mkd. T21S R7W S20 BT.

A fir, 10" dia., bears S.51°W., 23.1 ft., mkd. T21S R7W S19 BT.

A hemlock, 10" dia., bears N.59½°W., 20.7 ft., mkd. T21S R7W S18 BT.