

PRIMARY CORNER DESCRIPTION 1/4 Cor. Secs. 25 & 26

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO survey by Wm. P. Wright, Deputy Surveyor, under contract #486, dated Aug. 1, 1883 - (DCSO recs. Vol. 2 Page(s) 840)

Set post 4" dia., 4 ft. long with marked stone 12" in ground for 1/4 sec. cor. marked 1/4 on W face from which:

Fir, 24" dia., bears N.53°E., 20 lks., mkd: 1/4 S BT.

Maple, 6" dia., bears N.75°W., 19 lks., mkd: 1/4 S BT.

BLM dependent resurvey by Marvin J. Lytle, Palmer Norseth, Thomas A. Tillman, Raymond M. Bicknell, Joseph S. Gawron, and Hans W. Thielsen, Cadastral Engineers, under Group #304, Surveyed Aug. 1952/Oct. 1954 - (DCSO recs. Vol 30 Page 12559)

Point for 1/4 sec. cor. of secs. 25 & 26, at proportionate distance; there is no remaining evidence of the orig. corner. Set an iron post, 3 ft. long, 1" dia., 27" in the ground, with brass cap marked:

1/4  
S 26 | S 25

1952

from which

A Fir, 62" dia., bears N.62 1/4°E., 38 lks., mkd: 1/4 S25 BT.

A Fir, 52" dia., bears N.80 1/4°W., 85 lks., mkd: 1/4 S26 BT.

Dependent resurvey by Edith M Forkner, Cadastral Surveyor, under Group #2115, surveyed January/May 2007 (DCSO records Vol. 56 Page(s) 22057)

The 1/4 sec. cor. of secs. 25 & 26, determined at intersection of the record bearing and distance from the NW BT & record bearing from the NE BT mkd. by Lytle, et al., in 1952-54

A broken top fir, 64" dia., bears N.62 1/4°E., 20.7 ft., with no scribe marks visible on large partially healed blaze caused by falling debris. (Record, 25.1 ft.)

A fir stump, 51" dia., bears N.80 1/4°W., 56.1 ft., with a healed blaze.

At the corner point

Set a stainless steel post, 28" long, 2 1/2" dia., 26" in the ground, with brass cap mkd. T21S R8W

1/4

S 26 | S 25

2007

from which

A fir, 5" dia., bears S.24 1/2°W., 20.4 ft., mkd. X at breast height BT.

Each new bearing tree has a 2 1/2" x 1/4" magnetic nail (Mag Nail) driven at the base right side-center.

Deposit a magnet in a white plastic case at the base of the stainless steel post.

Corner is located on a small bench in a steep E. slope.