

PRIMARY CORNER DESCRIPTION Sec. Cor. for 7 & 18 only (West)

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO survey by Alonzo Gesner, Deputy Surveyor, under Contract #608 -dated April 17, 1893 - (DCSO records Vol. 2 Page(s) 907)

Set Maple post 5 ft. long, 4" sq., 24" in the ground for cor. to secs. 7, 18, 12 and 13, mkd. T21S S7 on the NE.; R9W S18 on SE.; R10W S13 on the SW.; and S12 on the NW. faces, with 4 notches on the S. and 2 notches on the N. edges, from which
A Maple 4" dia., bears N.80°30'E., 28 lks. dist. mkd. T21S R9W S7 BT.
A Maple 15" dia., bears S.46°E., 42 lks. dist. mkd. T21S R9W S18 BT.
A Maple 18" dia., bears S.11°30'W., 36 lks. dist. mkd. T21S R10W S13 BT.
A Fir 36" dia., bears N.59°15'W., 103 lks. dist. mkd. T21S R10W S12 BT.

GLO resurvey by Fred Mensch, Charles M. Collier and Fred W. Rodolf, U.S. Cadastral Engineers; Elmer F. Strickler, U.S. Surveyor, and Gerald A. Sorrels, U.S. Transitman, under Instructions dated April 24, 1917 (surveyed 1919) - (DCSO records Vol. 3 Page(s) 995-96) and (Dup. Pg. 1031)

Intersect the point for old cor. of secs. 7, 12, 13 and 18, located by reference to the old bearing trees. I obliterate marks on the old SW. and NW. bearing trees and at the exact cor. point, Set an iron post 3 ft. long, 2" dia., 24" in the ground for cor. of secs. 7 and 18, with brass cap marked:
T21S
S 7
S 18
R 9W
1919

from which
A Maple 10" dia., bears N.80°E., 28 lks. dist. mkd. T21S R9W S7 BT. (Old BT)
A Maple 20" dia., bears S.48°E., 43 lks. dist. mkd. T21S R9W S18 BT. (Old BT)

BLM remonumentation by Peter A. Peterson, Cadastral Surveyor, under Group #'s 350 & 511, surveyed Apr. 1966/May 1967 (DCSO records Vol. 34 Page(s) 14263)

The cor. of secs. 7 & 18 only, monumented with an iron post, 2" dia., extending 10" above ground, firmly set, with brass cap as mkd. in 1919,
from which the original bearing trees:
(Cont. Next Page)

TOWNSHIP 21 RANGE 09 POINT IDENTIFIER # 100500

PRIMARY CORNER DESCRIPTION Sec. Cor. for 7 & 18 only (West)

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A Maple 21" dia., bears S.80°E., 32 lks. dist., with
healed blaze. (Rec. N.80°E., 28 lks.)
A Maple 33" dia., bears S.46°E., 43 lks. dist., with
healed blaze. (Rec. S.48°E.)
and a new bearing tree:
A Maple 15" dia., bears N.49°E., 99 lks. dist. mkd. T21S
R9W S7 BT.