

PRIMARY CORNER DESCRIPTION Sec. Cor. for 14, 15, 22 and 23

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by Wm. Thiel, Deputy Surveyor, under Contract #567, dated Feb. 16, 1891 (DCSO records Vol. 3 Page(s) 1207)

Set a sandstone 12x10x6 ins. 8" in the ground for cor. to secs. 14, 15, 22 and 23 marked with 3 notches on S. and 2 notches on E. edges, raised a mound of stone 1½ ft. high and 2 ft. base alongside; pits impracticable.

BLM resurvey by Floyd A. Brooks, Cadastral Surveyor, under Group #430, Surveyed June/Aug. 1960 (DCSO records Vol. 31 Page(s) 12894)

Point for the sec. cor., at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28" long, 2½" dia., 26" in the ground, with brass cap mkd:

T 21 S R 11 W
S 15 S 14
S 22 S 23
1960

from which

- A Fir 53" dia., bears N.47°E., 77 lks. dist. mkd. T21S R11W S14 BT.
- A Cedar 30" dia., bears S.62°E., 31 lks. dist. mkd. T21S R11W S23 BT.
- A Cedar 38" dia., bears S.82°W., 59 lks. dist. mkd. T21S R11W S22 BT.
- A Fir 42" dia., bears N.14°W., 21 lks. dist. mkd. T21S R11W S15 BT.

BLM resurvey by Deborah M. Stephens and Harvey E. Wofford, surveyed April 1990 thru April 1995 under group #1521. (DCSO records Vol. 51 Page(s) 19595)

Found - iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.

T21S R11W
S 15 S 14
S 22 S 23
1960

from which bearing trees mkd. by Brooks

- A cedar, 30 ins. diam., bears S. 62° E., 31 lks. dist., with scribe marks 11W S visible on partially healed blaze.

(Cont. Next Page)

TOWNSHIP 21 RANGE 11 POINT IDENTIFIER # 500400

PRIMARY CORNER DESCRIPTION Sec. Cor. for 14, 15, 22 and 23

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A cedar, 42 ins. diam., bears S. 82° W., 59 lks. dist., no marks visible on decayed blaze.

A fir, 52 ins. diam., bears N. 14° W., 21 lks. dist., with healed blaze.

and a new bearing tree

A cedar, 39 ins. diam., bears N. 65¼° E., 167 lks. dist., mkd. T21S R11W S14 BT.

2