

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 12; 6 & 7 of T21-10

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by John W. Meldrum, Deputy surveyor, under Contract #116, dated December 16, 1866 (DCSO records Vol. 3 Page(s) 1168)

-----  
Set stone 20x11x6 for cor. to secs. 6, 7, 1 and 12, from which

An Alder 20" dia., bears S.35°W., 35 lks. dist.

GLO survey by Wm. Thiel, Deputy Surveyor, under Contract #567, dated Feb. 16, 1891 (DCSO records Vol. 3 Page(s) 1186 and page 1187)

-----  
(Page 1186)

Not able to find the cor. to secs. 1, 6, 12 and 17, it being a stone, and only one bearing tree.

(Page 1187)

Set a sandstone 11x8x6 ins. on top of a large bed of rocks, for cor. to secs. 1, 6, 7 and 12, marked with 1 notch on N. and 5 notches on S. edges, from which

A Cedar 10" dia., bears N.81°E., 67 lks. dist. mkd. T21S R10W S6 BT.

A Cedar 28" dia., bears S.½°E., 66 lks. dist. mkd. T21S R10W S7 BT.

A Cedar 28" dia., bears S.½°W., 66 lks. dist. mkd. T21S R11W S12 BT.

A Cedar 8" dia., bears N.½°W., 72 lks. dist. mkd. T21S R11W S1 BT.

The remains of an Alder, corresponding to the bearing tree, given in the field notes of former survey, are lying East, apparently rolled down; stump gone.

GLO resurvey by Fred Mensch, Charles M. Collier and Fred W. Rodolf, U.S. Cadastral Engineers; Elmer F. Strickler, U.S. Surveyor, and Gerald A. Sorrels, U.S. Transitman, under Instructions dated April 24, 1917 (surveyed 1919) - (DCSO records Vol. 3 Page(s) 1058-59)

-----  
Intersect the old cor. of secs. 1, 6, 7 and 12, which is a stone, firmly set, marked and witnessed as described by the Surveyor General. Alongside the old cor. set an iron post, 3 ft. long, 2" dia., 8" in the ground, surrounded by a mound of stone, with brass cap mkd:

T21S  
R11W R10W  
S1 S6  
S12 S7  
1919

(Cont. Next Page)

TOWNSHIP 21 RANGE 11 POINT IDENTIFIER # 700600

PRIMARY CORNER DESCRIPTION Sec. Cor. for 1 & 12; 6 & 7, T21-10

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Survey by Ronald E. Stuntzner, PLS 1342 - For: International Paper Co. - Feb. 3, 1984 - M 96-23

-----  
Found - Dist. to creek to the North was 14.92 chs. 1866 survey dist. was 15.0 chs. and 1891 survey, 15.2 chs.

Dist. to ridge to the East was 3.06 chs. 1919 survey dist. was 3.00 chs.

Dist. to ridge to the South was 1.50 chs. 1891 survey dist. was 1.50 chs. and 1919 survey was 3.32 chs.

The two 28" Cedars recorded in 1891 survey as bearing S.½°E. and S.½°W., 66 lks., have grown together forming a 48" Cedar, bearing S.1°E., 43.6 ft. (66 lks.) The face is closed.

36" Cedar snag with face, 44.2 ft. (67 lks.) S.81°E. The 1891 call was a 10" Cedar N.81°E., 67 lks.

Set 3/4" x 30" Iron rod with 2" alum. cap stamped PLS 1342 and as prescribed, from bearing tree and ridge calls.

I scribe-10" D.Fir N.40°E., 40.9 ft.

9" Cedar S.89°E., 47.9 ft.

12" Alder S.45°E., 10.5 ft.

Double 28" Cedar S.1°E., 43.6 ft.

Corner is on the North face of a hill at the top of a slide area.