

PRIMARY CORNER DESCRIPTION Sec. Cor. for 17, 18, 19 and 20

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by Harvey Gordon Deputy Surveyor, under Contract #69 dated Feb. 2, 1857 (DCSO records Vol. 3 Page(s) 1301)

-----  
Set post cor. of secs. 17, 18, 19 and 20, from which  
A Pine 8" dia., bears N.13°W., 13 lks. dist.  
A Pine 6" dia., bears S.1°W., 23 lks. dist.  
A Pine 8" dia., bears S.55°E., 13 lks. dist.  
A Pine 10" dia., bears N.44°E., 32 lks. dist.

BLM resurvey by Glenn F. Goodson, Scott R. McIntyre and Scott R. McMullin, Cadastral Surveyors - Under Group #1064 - Surveyed June/Sept. 1981 - (DCSO records Vol. 44 Page(s) 17199)

-----  
The point for the cor. of secs. 17, 18, 19 and 20, at record distance longitudinally from the meander cor. of secs. 18 and 19, on the shore of the Pacific Ocean, and record distance latitudinally from the cor. of secs. 7, 8, 17 and 18; there is no remaining evidence of the original source.  
Set an alum. post, 28" long, 2½" dia., 24" in the ground, with alum. cap mkd:  
                                  T 21 S    R 12 W  
                                    S 18    S 17  
                                  S 19    S 20  
                                  1981

from which  
A Hemlock 8" dia., bears N.80½°E., 10½ lks. dist. mkd. T21S R12W S17 BT.  
A Fir 8" dia., bears S.35½°E., 18 lks. dist. mkd. T21S R12W S20 BT.  
A Pine 12" dia., bears S.8°W., 15½ lks. dist. mkd. T21S R12W S19 BT.  
A Fir 9" dia., bears N.62°W., 47½ lks. dist. mkd. T21S R12W S18 BT.