

PRIMARY CORNER DESCRIPTION Sec Cor for 7, 8, 17 and 18

| | |
|-------------|-------------------|
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |

GLO survey by Harvey Gordon and Charles T. Gardner, Deputy Surveyors, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 3 Page(s) 1349)

Set post cor. of secs. 7, 8, 17 and 18, from which
 A Fir 20" dia., bears S.20°E., 24 lks. dist.
 A Dogwood 6" dia., bears S.40°W., 20 lks. dist.
 A Cedar 20" dia., bears N.35°W., 73 lks. dist.
 No tree convenient in sec. 8.

O.F. Theil, Surveyor - Wit: Byron DeVore; Arthur Wooley - 1940 - C.S. File 16/55

Original bearing trees destroyed. By a former survey, I found marks in the SW BT log lying on the ground from which I set a post and marked:

- A Fir 8" dia., which bears N.23°E., 9 lks. dist., mkd. T22S R4W S8 BT.
- A Fir 30" dia., which bears S.66°E., 41 lks. mkd. T22S R4W S17 BT.

At this point, I set a Cedar post 3" sq., 30" long, properly marked. I remarked the above trees and adding CS to both. Also marked:

- A Fir 12" dia., which bears N.43°W., 65 lks. dist. mkd. T22S R4W S7 BT CS.
- A Fir 14" dia., which bears S.5°W., 19 lks. dist. mkd. T22S R4W S18 BT CS.

James W. Byron - For: Fred Booth - March 30, 1956 - C.S. File 47/70 and M 2-32

Found - 3"x3" scribed stake at corner.
All BTs scribed by Theil are down, scribing visible on stumps.

Set Brass cap at cor. mkd: County Surveyors Office

| |
|--------------|
| T 22 S R 4 W |
| S 7 S 8 |
| S18 S17 |
| 1956 |

from which

- Red Fir 12" bears N.46°E., 9.4 ft. scribed S8 CS BT.
- 14" Red Fir bears N.81°W. 43 ft. scribed T22S R4W S7 CS BT.
- 10" Red Fir bears S.67°W., 41 ft. scribed S18 CS BT.
- 14" Cedar bears S.18°E., 84.5 ft. scribed T22S R4W S17 CS BT.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec Cor for 7, 8, 17 and 18

| Alias | Description |
|-------|-------------|
| Alias | Description |
| Alias | Description |
| Alias | Description |

Douglas Co. Surveyors Office - Bruce Rogers, Deputy, Stone and Stoffel, crew - Jan. 1965 - C.S. File 53/101-66

Found - Brass cap at corner.
10" now 11" R.Fir S.67°W. 41.0 ft. scribing visible.
14" now 17" Cedar S.18°E., 84.5 ft. scribing visible
12" Red Fir, now stump, N.46°E., 9.4 ft.
14" Red Fir, now stump, N.81°W., 43.0 ft.
New BTs -6" D.Fir N.31°W., 28.8 ft. mkd. S7 CS BT.
14" Cedar N.66°E., 58.0 ft. mkd. T22S R4W S8 CS BT.

Fd. OK, Sept. 1992 by D. Peel - M 115-77

Dan Baker - For: Rocking "C" Ranch - 9/1999 - M 132-16

Found - 1956 DCSO brass cap
22" Cedar stump, S.15°E., 84.1 ft., rec: 14" Cedar S.18°E., 84.5 ft. - DCSO 1956
12" Fir stump, N.45°E., 9.4 ft. rotted, rec: 12" R.Fir, N.46°E., 9.4 ft. - DCSO 1956
15" Fir N.21°W., 28.2 ft. - rec: 6" Fir N.31°W., 28.8 ft. - DCSO 1965
21" Cedar N.65°E., 57.6 ft. - rec: 14" Cedar, N.66°E., 58.0 ft. - DCSO 1965
Set - 16" Fir, S.18°W., 40.1 ft.

BLM resurvey by A. Bert Skeesick, Cadastral Surveyor under Group #2002, surveyed Jan/March 2002- (DCSO rec. Vol. 54 Page(s) 20815-6)

The cor. of secs. 7, 8, 17, & 18, perpetuated by Theil, in 1940, from evidence no longer in existence, remonumented by Byron, in 1956, perpetuated by Rogers, in 1965, recovered by Peel, in 1992, and perpetuated by Baker, in 1999, monumented with an iron post, 1½" dia., firmly set, projecting 15" above ground, with brass cap (properly) mkd.

from which the remains of bearing trees mkd. by Theil
A sawed and decayed fir stump, 18" dia., bears N.17°E., 6.3 ft., with no marks visible.
A sawed and decayed fir stump, 39" dia., bears S.65°E., 27.6 ft., with no marks visible.
A decayed fir stump, 14" dia., bears N.42½°W., 43.8 ft., with no marks visible.
and remains of bearing trees mkd. by Byron
A decayed fir stump, 16" dia., bears N.42¼°E., 9.2 ft., with no marks visible.
A sawed and decayed cedar stump, 30" dia., bears S.18°E., 84.5 ft., with healed blaze. continued next page

TOWNSHIP 22 RANGE 04 POINT IDENTIFIER # 200500

PRIMARY CORNER DESCRIPTION Sec. Cor. for 7, 8, 17 and 18

| | |
|-------------|-------------------|
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |

and bearing trees mkd. by Rogers
A cedar, 31" dia., bears N.66¼°E., 57.4 ft., with healed double blaze.
A fir, 20" dia., bears N.26°W., 29.1 ft., with healed double blaze.
and bearing tree mkd. by Baker
A fir, 21" dia., bears S.15¼°W., 43.2 ft., with fragmentary scribe marks visible on partially healed blaze.
and new bearing tree
A fir, 13" dia., bears S.68¼°E., 31.2 ft., mkd. T22S R4W S17 BT.
Each new bearing tree has a 2½" X ¼" magnetic nail (MAG-NAIL) driven at the base on the right side-center.

Corner is located 2.5 ft. North of a fence corner with fences extending E, S, and W.

Fd. OK 3/2006 by M. Heimburger - M150-14
GRID N: 739417.442
GRID E: 4205087.283
LATITUDE: 43°39'49.549"
LONGITUDE: -123°12'25.277"
CONVERGENCE: -1°51'07"