

TOWNSHIP 22 RANGE 04 POINT IDENTIFIER # 340400

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 16 and 21

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GL0 survey by Harvey Gordon and Charles T. Gardner, Deputy Surveyors, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 3 Page(s) 1342)

-----  
Set ¼ sec. post, from which  
A Fir 20" dia., bears S.10°W., 59 lks. dist.  
A Fir 18" dia., bears N.15°E., 18 lks. dist.

Wilford N. Haines - For: Whipple Logging Co. - June 1975 - (Received from Haines Estate in 1990) - Haines envelope #7

-----  
Found T-Iron in old road. BT Sec. 16, now stump. BT Sec. 21 now about 48".

Lester B. Calder by Robert Barta - For: Weyerhaeuser Company - Sept. 1962 - C.S. File 51/87-6 & C.S. 53/105-20\*

-----  
GL0 survey record, 1855:  
Post, gone. Replaced by Haines "T" Iron stake.  
18" Fir N.15°E., 18 lks., 38" Fir stump, upper face chopped out and scribing visible.  
20" Fir S.10°W., 59 lks., 42" Fir, bark scribing visible.  
Referenced by Robert Barta\* (Plates and "W" nails only)  
38" Fir stump N.13°E., 10.6 ft. (orig. BT)  
42" Fir S.11°W., 36.7 ft. (orig. BT)

Fd. OK, March 1993 by Ness - M 116-66

BLM Dependent resurvey by A Bert Skeesick Cadastral Surveyor, and Robert H. Browning, Surveying Tech. Group No. 2170 surveyed Aug 2007/Feb 2008 - (DCSO records Vol. 55 Pg 21810)

-----  
The ¼ sec. cor. of secs. 16 and 21, perpetuated by Haines, in 1975, subsequently perpetuated by Peel, in 1990, monumented with an iron post, 2" dia., firmly set, projecting 10" above ground, (alongside of which is the disturbed Haines' T-post, 1" sq., firmly set, projecting 21" above ground) with brass cap (properly) mkd.

from which the remains of the original bearing trees  
A decayed fir stump, size indeterminate, bears N.15°E., 11.9 ft., no marks visible.  
A sawed, decayed fir stump, 60" dia., bears S.10°W., 38.9 ft., no marks visible.  
and new bearing trees  
A fir, 9" dia., bears N.56½°E., 19.0 ft., mkd. ¼ S16 BT.  
A fir, 10" dia., bears S.10°E., 13.0 ft., mkd. ¼ S21 BT.