

PRIMARY CORNER DESCRIPTION Sec. Cor. for 19, 20, 29 and 30

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Carl S. Nicklin, Deputy Surveyor, under Contract #664 dated May 23, 1896 (DCSO records Vol. 4 Page(s) 1484-85)

The point for sec. cor. 50 ft. above creek, falls on a rock in place, 4x4x3 ft. above ground, on which I cut an X at exact cor. point, for cor. of secs. 19, 20, 29 and 30, mkd. with 2 grooves on S. and 5 grooves on E. sides, from which
A Fir 56" dia., bears N.36°E., 39 lks. dist. mkd. T22S R6W S20 BT.
A Fir 36" dia., bears S.20°E., 191 lks. dist. mkd. T22S R6W S29 BT.
A Fir 42" dia., bears S.72°W., 62 lks. dist. mkd. T22S R6W S30 BT.
A Fir 42" dia., bears N.1°W., 77 lks. dist. mkd. T22S R6W S19 BT.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - V. Tracy and C. Putnam, crew - Aug. 1961 - C.S. File 49/143-61

Found - 4' x 4' x 3' rock outcrop with "X" (3" diam.) on N. face, 2 ft. above ground.
Dead Fir snag, now 52", S.72°W., 41 ft., shows good scar.
48" Fir tree, N.1°W., 50.8 ft. shows good scar.
60" Fir tree, N.36°E., 25.7 ft. face and bark rotted away.
80" Fir stump, S.20°E., 126 ft., good scar.
New BTs -10" Fir S.47½°E., 19.2 ft. mkd. T22S R6W S29 CS BT
14" Fir N.29½°W., 29.3 ft. mkd. T22S R6W S19 CS BT
6" Fir N.81°E., 33.5 ft. mkd. T22S R6W S20 CS BT.
No tree good to SW.

BLM resurvey by James E. Jelley, Cadastral Surveyor, under Group #1073, surveyed Aug/Sept. 1981 (DCSO records Vol. 44 Page(s) 17030-31)

The Sec. cor., perpetuated and recorded by Godfrey in 1961, monumented with a basalt rock outcrop, 4 x 4 x 3 ft. high, mkd. with an X on the NE. face, 2 ft. up, from which the remains of the original bearing trees
A sawed Fir stump 60" dia., bears N.34°E., 37 lks. dist., no marks visible. (Rec. N.36°E., 39 lks.)
A Fir 80" dia., bears S.20°E., 188 lks. dist. with healed blaze. (Rec. 191 lks.)
A Fir 52" dia., bears S.72°W., 56½ lks. dist., with healed blaze. (Rec. 62 lks.)

(Cont. Next Page)

TOWNSHIP 22 RANGE 06 POINT IDENTIFIER # 200300

PRIMARY CORNER DESCRIPTION Sec. Cor. for 19, 20, 29 and 30

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

A Fir 50" dia., bears N.1°W., 72 lks. with fragmentary scribe marks visible on bark blaze. (Rec. 77 lks.) and bearing trees mkd. by Godfrey

A Fir 9" dia., bears N.82°E., 51 lks. with healed blaze.

A Fir 14" dia., bears S.48°E., 28½ lks. with healed blaze.

A Fir 22" dia., bears N.28°W., 44½ lks. with healed blaze.

At the corner point

Set an iron post, 28" long, 2 1/2" dia., 24" in the ground, with brass cap mkd:

T 22 S R 6 W

S 19 | S 20

S 30 | S 29

1981

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor Under Group No. 2653, Surveyed June/July 2012 - DCSO records Vol. 58 Page(s) 22990

The cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 2½" dia., firmly set, projecting 6" above ground, directly below an X mark on the NE. face of a basalt rock outcrop, 4x4x3 ft. high, with brass cap (properly) mkd. from which the remains of the original bearing trees

A decayed fir stump, size indeterminate, bears N.34°E., 24.4 ft., with no marks visible.

A sawed, decayed fir stump, 80" dia., bears S.20°E., 124.1 ft., with a healed blaze.

A decayed fir snag, 51" dia., bears S.72°W., 37.3 ft., with a healed blaze.

A fir, 54" dia., bears N.1°W., 47.5 ft., with a healed blaze.

and remains of BTs mkd. by Godfrey, in 1961

A sawed fir stump, 13" dia., bears N.82°E., 33.7 ft., with a healed blaze.

A roothole bears S.48°E., 18.8 ft., alongside of which is a fallen fir snag, 20" dia., with no marks visible.

A roothole bears N.18°W., 37.5 ft., alongside of which is a fallen fir snag, 19" dia., with a healed blaze.

(Record, N.28°W., 29.4 ft.)

and new bearing trees

(A) hemlock, 5" dia., bears N.71½°E., 77.0 ft., mkd. X BT.

A fir, 20" dia., bears S.73¾°E., 29.3 ft., mkd. T22S R6W S29 BT. (Mag-Nail driven in left side center)

A fir, 5" dia., bears S.45°W., 16.7 ft., mkd. X BT.

NAD 1983 (CORS 96)

Latitude: 43°38'06.64"N

Longitude: 123°26'53.06"W