

PRIMARY CORNER DESCRIPTION Sec. Cor. for 28, 29, 32 and 33

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by W.H. Byars, Deputy Surveyor under contract # 152 survey dated June 3, 1871 (DCSO records Vol 4 Page 1457)

Set post cor. to secs. 28, 29, 32 and 33, from which
A Cedar 8" dia., bears N.60°E., 10 lks. dist.
A Fir 12" dia., bears S.55°E., 33 lks. dist.
A Cedar 16" dia., bears S.35°W., 50 lks. dist.
A Cedar 8" dia., bears N.65°W., 5 lks. dist.

GLO survey by Carl S. Nicklin, Deputy Surveyor, under Contract #664 dated May 23, 1896 (DCSO records Vol 4 Pg 1480)

The Sec. cor., which is a post, 4" sq., 12" above ground, marked and witnessed as described by the surveyor general.

Wilford N. Haines - Field Book, H-106 (date?)

Orig. BT in sect. 28, a dead cedar 12" dia. with imprint of scribe on inside.
Set steel bolt 1" dia. with hex nut 1½" down., from which
4" D.Fir, N.31½°W., 7.35 ft. "T22S R6W S29 BT"
44" D.Fir S.7½°W., 25.27 ft. "T22S R6W S32 BT 329"
52" I.Cedar S.62°E., 24.16 ft. "T22S R6W S33 BT 329"

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - V. Tracy and C. Putnam, crew - Aug. 1961 - C.S. File 49/143-56

Found - 1" Bolt with nut on top.
Dead Cedar, now 12", N.60°E., 6.6 ft. Hollow inside, good reverse scribing "8 2S 6W"
Rotted remnants of SE and SW trees found, no scribing.
No trace of NW BT.
55" Cedar S.63°E., 25.5 ft. scribed T22 R6W S33 BT 329.
5" Fir N.33½°W., 7.4 ft. scar healed over.
42" D.Fir S.9°W., 25.3 ft. scribed 32 R6 BT. Rest of scribing pitched over.

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor Under Group No. 2653, Surveyed June/July 2012 - DCSO records Vol. 58 Page(s) 22987

The cor. of secs. 28, 29, 32, & 33, perpetuated by Haines, in 1955, monumented with a steel bolt, 1" dia., firmly set, projecting 4" above ground, with hex nut on top, from which the remains of an original bearing tree
continued next page

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

A roothole bears N.60°E., 6.6 ft.
and remains of bearing trees mkd. by Haines
A sawed fir stump, 48" dia., bears S.8¼°W., 25.0 ft., with
a healed blaze.
A roothole bears N.26°W., 8.3 ft., downhill of which is a
fallen, decayed, sawed fir stump, 11" dia., with no
marks visible.

At the corner point
Set a stainless steel post, 28 ins. long, 2½" dia., 27" in
the ground, directly over the steel bolt, with brass cap mkd.

T22S R6W
S 29 | S 28
S 32 | S 33
2012

from which
A fir, 3" dia., bears N.78½°E., 15.4 ft., mkd. X BT.
A fir, 13" dia., bears S.25½°E., 32.9 ft., mkd. T22S R6W
S33 BT.
A fir, 10" dia., bears S.48¾°W., 11.6 ft., mkd. T22S R6W
S32 BT.
A fir, 9" dia., bears N.48¾°W., 24.9 ft., mkd. T22S R6W
S29 BT.
Bury a magnet in a white plastic case at the base of the
stainless steel post.

BLM dependent resurvey by Jeffrey O. Covington, Cadastral
Surveyor, under Group No. 2875, surveyed Aug. 2017/Feb. 2019-
(DCSO records Vol. 59 Page 23645)

The cor. of secs. 28, 29, 32, and 33, monumented with an iron
post, 2½" dia., firmly set, projecting 1" above ground, with
a brass cap (properly) mkd.

from which the remains of the BTs mkd. by Haines, in 1955
A roothole bears S.49¾°E., 27.8 ft., alongside of which is
a down cedar, 65" dia., with axe marks visible on open
blaze.
A sawed, burnt, decayed fir stump, 48" dia., bears
S.8¼°W., 25.0 ft., with axe marks visible on open
blaze.
A roothole bears N.26°W., 8.3 ft., alongside of which is
a down fir, 10" dia., no marks visible.
and the bearing trees mkd. by Skeesick in 2012
A fir, 6" dia., bears N.78½°E., 15.4 ft., with a healed
double blaze.
A fir, 16" dia., bears S.25½°E., 32.9 ft., with a healed
blaze.
A fir, 11" dia., bears S.48¾°W., 11.6 ft., with a healed
blaze.

Continued next page

TOWNSHIP 22 RANGE 06 POINT IDENTIFIER # 300200

PRIMARY CORNER DESCRIPTION Sec. Cor. for 28, 29, 32 and 33

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

A fir, 9" dia., bears N.48 $\frac{3}{4}$ °W., 24.9 ft., with a healed blaze.
NAD1983 (2011)
Latitude: 43°37'17.30" N Longitude: 123°25'41.61"W