

PRIMARY CORNER DESCRIPTION Sec. cor. for 26 and 35 only

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Gordon and Gardner, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 4 Page(s) 1439)

-----  
Set post cor. of secs. 26, 27, 34 and 35, from which  
A Fir 20" dia., bears N.48°E., 3 lks. dist.  
A Fir 16" dia., bears N.45°W., 18 lks. dist.  
A Fir 10" dia., bears S.45°W., 26 lks. dist.  
A Fir 20" dia., bears S.35°E., 23 lks. dist.

GLO survey by Carl S. Nicklin, Deputy Surveyor, under Contract #664 dated May 23, 1896 (DCSO records Vol. 4 Page(s) 1476 and 1478)

-----  
(At old sec. cor.) which I reestablish at same point, as follows  
Set a Fir post 3 ft. long, 4' sq., 24" in the ground, for cor. of secs. 26 and 35, mkd. T22S S26 on NE.; and R6W S35 on SE. faces; with 2 notches on E. and 1 notch on S. edges, from which  
A Fir 20" dia., bears N.48°E., 3 lks. dist. mkd. T22S R6W S26 BT.  
A Fir 20" dia., bears S.35°E., 23 lks. dist. mkd. T22S R6W S35 BT.

Wilford N. Haines - Field Book H-107

-----  
Set Lot Marker.  
14" Fir N.56°E., 20.2 ft.  
20" Fir S.10°E., 65.65 ft.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - V. Tracy & C. Putnam, crew - Aug. 16, 1961 - C.S. File 49/143-51

-----  
Corner Report Only  
Found - Haines "T" Iron and cap.  
Fd. Fir stump, S.40°E., 16.3 ft. with scribing "T22S BT" showing scribing, appears to be approx. 25 years old. Do not believe it to be orig.  
Found recently scribed trees as follows:  
20" Fir S.10°E., 65.5 ft. too badly pitched over to read scribing.  
18" Fir N.56°E., 20.3 ft. scribed "S26 T22S R6W BT".

BLM resurvey by Donald Beck, Cadastral Surveyor, under Group #517, surveyed Aug/Sept. 1963 (DCSO records Vol. 32 Page(s) 13442-43)

-----  
(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 26 and 35 only

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

The cor. of secs. 26 and 35 only, on the E. bdy. of sec. 34, perpetuated and recorded by Wilford Haines, monumented with a 1" T Iron, firmly set, protruding 8" above the ground, from which the remains of the original bearing trees:

A sawed Fir stump 28" dia., bears N.48°E., 5 lks. dist. 3 lks. dist. to face, no marks remaining on opened face. (Rec. distance, 3 lks.)

A sawed Fir stump 22" dia., bears S.35°E., 24½ lks. dist., 23 lks. dist. to face, mkd. T22S BT on opened and burned double blaze. (Rec. distance, 23 lks.)

A sawed Fir stump 27" dia., bears N.45°W., 20 lks. dist., 18 lks. dist. to face, no marks visible on opened face. (Rec. distance, 18 lks.)

and bearing trees by Haines

A Fir 18" dia., bears N.55½°E., 30 lks. dist. mkd. S26 T22S R6W BT.

A Fir 20" dia., bears S.9°E., 99 lks. dist., mkd. S35 T22S R6W BT.

At the corner point

Set an iron post, 28" long, 2 1/2" dia., 21" in the ground, with brass cap mkd:

T 22 S R 6 W  
S 34 | S 26  
          | S 35  
          1963

Reset the T iron alongside iron post.

Fd. OK, Aug. 1990, M 110-47

Fd. OK, June 1992, J. Branch, M 115-26

BLM Dependent Resurvey by Kenneth W. Saveland, Cadastral Surveyor, under Group No. 2500, Surveyed July/Aug. 2010 - (DCSO records Vol. 57 Page(s) 22809 & Survey plat 2012-1)

The cor, of secs, 26 & 35 only, on the E. bdy. of Sec. 34, monumented with an iron post, 2½" dia., firmly set, projecting 8" above ground, with a brass cap (properly) mkd. from which the remains of the original bearing trees

A decayed fir stump, size indeterminate, bears N.48°E., 3.3 ft., with no marks visible.

A sawed, decayed fir stump, 22" dia., bears S.35°E., 16.2 ft., with fragmentary scribe marks visible on a chopped open blaze.

A sawed, decayed fir stump, size indeterminate, bears N.45°W., 32 ft., with no marks visible.

and the remains of BTs mkd. by Haines

A sawed fir stump, 24" dia., bears N.55½°E., 9.8 ft., with a healed blaze,

continued next page

TOWNSHIP 22 RANGE 06 POINT IDENTIFIER # 500200

PRIMARY CORNER DESCRIPTION Sec. cor. for 26 and 35 only

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

A sawed, decayed fir stump. size indeterminate, bears S.9°E., 65.3 ft., with a healed blaze.  
and new bearing trees

A fir, 7" dia., bears N.43¼°E., 35.8 ft., mkd. T22S R6W S26 BT.

A fir, 6" dia., bears S.58½°E., 30.5 ft., mkd. T22S R6W S35 BT.

Corner is located 10 ft. W. of a down, woven wire fence, bears generally N. and S.

(NAD 1983 (CORS 96))

Latitude: 43°37'14.27"N                      Longitude: 123°23'16.87"W