

PRIMARY CORNER DESCRIPTION NW Cor. Sec. 6 (NW Tsp. corner)

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

GLO survey by Gordon and Gardner, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 2 Page(s) 633-634)

Set post cor. of Tps. 21 and 22 S., Ranges 7 & 8 W.; from which

- A Hemlock 8" dia., bears N.54°E., 34 lks. dist.
- A Cedar 12" dia., bears S.30°E., 28 lks. dist.
- A Cedar 18" dia., bears N.30°W., 55 lks. dist.
- A Cedar 12" dia., bears S.40°W., 50 lks. dist.

GLO survey by W.H. Byars, Deputy Surveyor under contract # 376 survey dated Jan 22, 1881 (DCSO records Vol. 4 Page(s) 1534)

Township cor., set new stake, bearing trees all standing.

Original, Laban H. Wheeler, Under Contract #467 dated April 7, 1883 (DCSO Records, Volume 2 Page 558-559)

I found post decayed and trees standing. Reestablished the corner by setting a post, 4½ ft. long, 4½" dia., 24" in ground,, mkd. T21S S31 on NE.; R7W S6 on SE.; T22S S1 on SW.; R8W S36 on NW. face, with 6 notches on each edge; from which

- A Hemlock 8" dia., bears N.55°E., 32 lks. dist. mkd. T21S R7W S31 BT.
- A Cedar 12" dia., bears S.30°E., 28 lks. dist. mkd. T22S R7W S6 BT.
- A Cedar 18" dia., bears N.30°W., 55 lks. dist. mkd. T21S R8W S36 BT.
- A Cedar 12" dia., bears S.40°W., 50 lks. dist. mkd. T22S R8W S1 BT.

BLM resurvey by Lytle, Palmer, Tillman, Bicknell, Gawron and Thielsen, Cadastral Surveyors, under Group #304, surveyed Aug. 1952/Oct. 1954 (DCSO records Vol. 30 Page(s) 12542-43)

At the cor. of Tps. 21 and 22 S., Rs. 7 and 8 W., determined from the remains of three original bearing trees:

- A Cedar 45" dia., bears S.30°E., 28 lks. dist., showing a healed blaze facing NW.
- A stump hole of a Cedar bears S.40°W., 50 lks. dist.
- A Cedar stump, bears N.30°W., 55 lks. dist., showing evidence of axe marks on SE. face.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION NW Cor. Sec. 6 (NW Tsp. Corner)

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Set an iron post 3 ft. long, 3" dia., 26" in the ground, with brass cap mkd:

```

T 21 S
R 8 W | R 7 W
S 36 | S 31
S 1 | S 6
T 22 S
1952

```

from which

- A Cedar 10" dia., bears N.50½°E., 43 lks. dist. mkd. T21S R7W S31 BT.
- A Cedar 45" dia., bears S.30°E., 28 lks. dist. mkd. T22S R7W S6 BT.
- A Hemlock 15" dia., bears S.34½°W., 26 lks. dist. mkd. T22S R8W S1 BT.
- A Fir 12" dia., bears N.42°45'W., 89 lks. dist. mkd. T21S R8W S36 BT.

Fd. Ok by Gary Smithers - May 2005 - C.S. File 65/54-23

Dependent resurvey by Edith M Forkner, Cadastral Surveyor, under Group #2114, surveyed Sept. 2005/Oct. 2006 - (DCSO records Vol. 55 Page(s) 21626)

The cor. of Tps. 21 and 22 S., Rgs. 7 and 8 W., monumented with an iron post, 3" dia., firmly set, projecting 6" above ground, with brass cap mkd.

from which the remains of the original bearing trees

A cedar, 56" dia., bears S.30°E., 18.5 ft., with a healed blaze.

A roothole bears N.30°W., 36.3 ft., with a down cedar, 30" dia., alongside, no marks visible.

and the bearing trees mkd. by Lytle, et al., in 1952-54

A cedar, 27" dia., bears N.50½°E., 28.4 ft., with a healed blaze.

A hemlock, 25" dia., bears S.34½°W., 17.2 ft., with a healed blaze.

A fir, 30" dia., bears N.42¾°W., 58.7 ft., with a healed blaze.

A steel fence post is alongside the cor.

Dependent resurvey by Edith M Forkner, Cadastral Surveyor, under Group #2115, surveyed January/May 2007 (DCSO records Vol. 56 Page(s) 22046-7)

The cor. of Tps. 21 and 22 S., Rgs. 7 and 8 W., monumented with an iron post, 3" dia., firmly set, projecting 6 ins. above ground, with brass cap (properly) mkd.

continued next page

TOWNSHIP 22 RANGE 07 POINT IDENTIFIER # 100700

PRIMARY CORNER DESCRIPTION NW Cor. Sec. 6 (NW Tsp. corner)

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

from which the remains of the original bearing trees
A cedar, 56" dia., bears S.30°E., 18.5 ft., with a healed blaze.
A roothole bears N.30°W., 36.3 ft., with a down cedar, 30" dia., alongside, no marks visible.
and bearing trees mkd. by Lytle, et al., in 1952-54
A cedar, 27" dia., bears N.50½°E., 28.4 ft., with a healed blaze.
A hemlock, 25" dia., bears S.34½°W., 17.2 ft., with a healed blaze.
A fir, 30" dia., bears N.42¾°W., 58.7 ft., with a healed blaze.
A steel fence post is alongside the cor.