

PRIMARY CORNER DESCRIPTION M.C. on So. bdy. Sec. 32

Alias <u>820400</u>	Description <u>M.C. on East Arm of Eel Lake</u>
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by W. P. Wright, U.S. Deputy Surveyor, under Contract #341, dated October 4, 1879 (DCSO records Vol. 5 Page(s) 2022)

Set Hemlock post, 4x5 by 4½ ft. long in ground, from which
A Spruce 24" dia., bears S.64°W., 10 lks. dist.
A Cedar 30" dia., bears N.52°W., 12 lks. dist.

GLO survey by Simon B. Cathcart, Deputy Surveyor, under Contract #559, dated Nov. 15, 1890 - (DCSO records Vol. 5 Page(s) 2065-66)

At the witness post on East bank of Eel Lake on N. bdy. of Sec. 5, 23S R12W, I found the post had fallen down and was badly decayed but the Surveyor's marks were distinct, viz: W P T22S S32 one side, and WP T23S R12W S5 on the other. The bearing trees as given in the notes furnished me by your office:

A Spruce 24" dia., bears S.64°W., 16 lks. dist.

A Cedar 36" dia., bears N.52°W., 12 lks. dist.

I find the trees as noted except the Spruce is where the Cedar should be and vice versa. The marks on the Spruce are part of them very distinct but a part of them are grown over. The Cedar has partially turned out by root and is bent over into the Lake which is very high at this time, bringing all of the marks under water, but they are visible and are as follows: T23S R12W S5 WP BT.

I Set a Hemlock post 4x5", 5 ft. long, 2½ ft. in ground, marked WP T23S S32 on North side, W T23S R12W S5 on South side.

Survey by Harvey Wilcox and Ronald Stuntzner - For: Dept of Fish and Wildlife - Dec. 1986 - M 103-31

Found Orig. meander corner as noted by Cathcart in 1890 and established by Thiel (?) in 1889, from which

Orig. BT, 36" Cedar now stump, uprooted into lake, S.64°W., 21.6 ft. (Orig. position S.64°W., 10 lks. fits existing bank perfect.)

Orig. BT, 24" Spruce, rotted remains, but identifiable, N.52°W., 7.9 ft.

Set 3/4" Iron rod with 2" alum. cap at corner position, cap mkd. T22S R12W S32 S5 MC T23S 1986.

New BTs -21" D.Fir N.58°E., 24.2 ft. "T22S R12W S32 W.C. BT"

32" Spruce S.25°E., 34.4 ft. "T23S R12W S5 W.C. BT"

