

PRIMARY CORNER DESCRIPTION Sec. Cor. for 35 & 36; 1 & 2, T24-1

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO Survey by Henry L. Chandler, U.S. Deputy Surveyor, under Contract #619, dated June 5, 1893 - (DCSO records Vol. 5 Page(s) 2139)

Set a post 4 ft. long, 4" sq., 24" in the ground, for cor. to secs. 1, 2, 35 and 36, marked with 5 notches on W. and 1 notch on E. edges, from which
A Fir 15" dia., bears N.58°E., 45 lks. mkd T23S R1W S36 BT
A Fir 14" dia., bears S.81°E., 30 lks. mkd. T24S R1W S1 BT
A Fir 13" dia., bears N.18°W., 27 lks. mkd T23S R1W S35 BT
No tree in limits in sec. 2. Pits impracticable.

Douglas Co. Surveyors Office - Gary Langlitz; Greg Quibell; Karen Cheney - Oct. 21, 1976 - C.S. File 59/24-40

Found - An orig. 15" now 28" Fir, bears N.58°E., 29.7 ft., down with illegible scribe marks in blaze opened by someone prior to this.
An orig. 14" now 34" Fir, bears S.76°E., 19.8 ft. (Rec. S.81°E., 19.8 ft.) alive with well healed blaze.
An orig. 13" now 22" Fir, bears N.18°W., 17.8 ft. alive with well healed blaze.

We find no sign of corner post.
Set a 1" x 30" I.Pipe with brass cap attached flush with ground mkd. Douglas Co. Surveyor

T 23 S
S 35 | S 36
S 2 | S 1 R 1 W
T 24 S

New BTs- A 7" Fir bears N.76°E., 14.7 ft. scribed "T23S R1W S36 CS BT" in a double blaze. (Note, brg. taken approx. 1.0 ft. South of tree trunk due to shape of tree.)
A 13" Fir bears S.9½°W., 20.7 ft. scribed "S2 T24S R1W CS BT" in a double blaze.
Corner lies on NE. slope.

BLM Dependent resurvey by Joseph M. Mannix, Cadastral Surveyor under Group No. 2763, surveyed April/July 2015 - (DCSO records Vol. 58 Page(s) 23386-7)

The cor. of secs. 1, 2, 35, & 36, on the S. bdy. of the Tp., perpetuated by the Douglas Co. Surveyor's Office, monumented with an iron post, 1¼" dia., firmly set, projecting 1" above ground, with a brass cap (properly) mkd.

continued next page

TOWNSHIP 23 RANGE 01 POINT IDENTIFIER # 600100

PRIMARY CORNER DESCRIPTION Sec. Cor. for 35 & 36; 1 & 2, T24-1

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

from which the remains of the original bearing trees
A fir, 42" dia., bears S.76 $\frac{3}{4}$ °E., 19.8 ft., with a healed blaze. (Record, S.81°E.)
A fir stump, 22" dia., 6 ft. tall, bears N.18°W., 17.8 ft., with a healed blaze.
and the BTs mkd. by the Douglas County Surveyor's Office
A fir, 12" dia., bears N.73 $\frac{1}{4}$ °E., 14.7 ft., with a healed blaze.
A fir, 15" dia., bears S.6 $\frac{1}{4}$ °W., 20.8 ft., with a healed blaze.
and a new bearing tree
A fir, 13" dia., bears N.66°W., 35.3 ft., mkd. T23S R1W S35 BT.
A steel fence post is alongside the cor.
The geographic position in NAD 1983 (2011):
Latitude: 43°31'24.35" N. Longitude: 122°45'41.14"W.