

PRIMARY CORNER DESCRIPTION Sec Cor for 33 & 34 only, South

| Alias | Description |
|-------|-------------|
| Alias | Description |
| Alias | Description |
| Alias | Description |

GLO survey by Harvey Gordon and Charles T. Gardner, Deputy Surveyors, under Contract #52 dated Feb. 17, 1855 (DCSO records Vol. 6 Page(s) 2273 (and duplicate pg. 2277))

Set post cor. of secs. 3, 4, 33 and 34, from which
A Hemlock 20" dia., bears N.41°E., 46 lks. dist.
A Hemlock 24" dia., bears S.62°E., 38 lks. dist.
An Alder 20" dia., bears N.80°W., 31 lks. dist.
A Maple 10" dia., bears S.67°W., 31 lks. dist.

GLO survey by Oscar F. Thiel, Deputy Surveyor, under Contract #658 dated May 21, 1896 (DCSO records Vol. 7 Page(s) 3071)

Found Fir post badly decayed marked and witnessed as described by the surveyor general.

Wilford N. Haines, #239 - H-225 and H-237

(H-237)
We fall 23.5 ft. West of cor. 33, 34, 4 and 3 at Sta. 39+28
New BTs- Cedar 18" S.33½°W., 15 ft.
Fir snag, N.40°E., 25 ft.
Other BTs lost.
(H-225)
At cor. 33 & 34 on T line T23S + T24S R4W, found 1" x 1" x 36" T Iron.
8" Hemlock N.27°W., 5.3 ft.
24" Maple S.67°W., (?) lks.

Douglas Co. Surveyors Office - James Byron, Deputy - Milo Godfrey; C. Putnam, crew - Aug. 27, 1959 - C.S. File 49/124

Found - 1" T Iron with Haines cap at corner.
Now 30" Maple S.67°W., 38.0 ft. (Rec. S.67°W., 20.5 ft.) Show real old axe marks and old but rotted face, no scribing.
Find base of rotted Hemlock stump that checks bearing and distance for orig. SE. BT.
No other original BTs found.
Haines rescribed 30" Maple "R4W".
I Do Not Set Brass Cap.
New BTs- 7" Hemlock bears N.25°W., 5.5 ft. scribed S33 CS BT
7" Hemlock bears N.61°E., 26.4 ft. scribed S34 T23S R4W CS BT.

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec Cor for 33 & 34 only, South

| | |
|-------|-------------|
| Alias | Description |
| Alias | Description |
| Alias | Description |
| Alias | Description |

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - Vernon Tracy; Mike Stone - April 1963 - C.S. File 53/9-128

Found - Haines T Iron and cap at corner.
7" Hemlock N.25°W., 5.5 ft. alive and standing, good condition.
NE. BT is now down.
New BT - 10" Hemlock N.39°E., 48.0 ft. mkd T23S R4W S34 CS BT

BLM resurvey by James E. Jelley, Cadastral Surveyor - under Group #895, surveyed 1976 - (DCSO records Vol. 41 Page(s) 16132-33)

The cor. of secs.33 and 34 only, perpetuated by Haines, date unknown, further perpetuated by Byron in 1959, and further perpetuated by Godfrey in 1963, monumented with a 1" T shaped iron rod, firmly set, projecting 12" above ground, from which the remaining original bearing tree:

A Maple 36" dia., bears S.67°W., 58 lks. dist. with scribe marks R4W visible on partially open blaze.
and a bearing tree mkd. by Byron:
A Hemlock 12" dia., bears N.29½°W., 8 lks. dist., with scribe marks S33 visible on partially open blaze.
and a bearing tree mkd. by Godfrey:
A Hemlock 13" dia., bears N.39°E., 72½ lks. dist., with scribe marks R4W S34 visible on partially open blaze.

At the corner point
Set an iron post, 28" long, 2 1/2" dia., 24" in the ground, with brass cap mkd:

| |
|--------------------|
| T 23 S R 4 W |
| <u>S 33 S 34</u> |
| S 3 |
| T 24 S R 4 W |
| 1976 |

Reset iron rod alongside iron post.

Fd. OK by D. Baker, Nov. 1999 - M132-20

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor and Robert H Browning, Survey Tech, Under Group No. 2168, Surveyed May/Nov. 2007 - DCSO records Vol. 57 Page(s) 22586

The cor. of secs. 33 & 34 only on the S. bdy. of the Tp., monumented with an iron post, 2½" dia., firmly set, projecting 1" above ground, with brass cap (properly) mkd. from which the remains of an orig. bearing tree
continued next page

A maple, 31" dia., bears S.67°W., 38.3 ft., with no marks visible.
continued next page

TOWNSHIP 23 RANGE 04 POINT IDENTIFIER # 400100

PRIMARY CORNER DESCRIPTION Sec. Cor. for 33 & 34 only, South

| | |
|-------------|-------------------|
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |
| Alias _____ | Description _____ |

and the remains of a bearing tree mkd. by Byron, in 1959
A hemlock, 19" dia., bears N.29½°W., 5.3 ft., with a
healed blaze.
and the remains of a bearing tree mkd. by Godfrey, in 1963
A hemlock, 26" dia., bears N.39°E., 47.9 ft., with a
healed blaze.