

PRIMARY CORNER DESCRIPTION Sec Cor for 35 & 36; 1 & 2, T24-4

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by Carl S. Nicklin, Deputy Surveyor, under joint contract #664 dated May 23, 1896 (DCSO records Vol. 6 Page(s) 2321)

Set a basalt stone 12x8x8 ins., 8" in the ground for cor. of secs. 35, 36, 1 and 2 marked with 5 notches on W. and 1 notch on E. edges; from which

A Chinquapin 12" dia., bears N.8°E., 49 lks. dist. mkd. T23S R4W S36 BT.

A Fir 12" dia., bears S.58°E., 73 lks. dist. mkd. T24S R4W S1 BT.

A Cedar 30" dia., bears N.83°W., 59 lks. dist. mkd. T23S R4W S35 BT.

A Fir 8" dia., bears S.28°W., 73 lks. dist. mkd. T24S R4W S2 BT.

This cor. is in the bottom of ravine, 50 ft. below top of spur.

Fd. and tied in GLO survey by Oscar F. Thiel, Deputy Surveyor, under Contract #658 dated May 21, 1896 (DCSO records Vol. 7 Page(s) 3056)

BLM Resurvey by Lynn M. Roseberry, Cadastral Surveyor - Under Group #349 Surveyed, Aug/Sept 1957 - (DCSO records Vol. 28 Page(s) 12102)

The Sec. Cor., monumented with a basalt stone, 12x8x8 ins., firmly set 8" in the ground, in a mound of stone 3 ft. base, to top, marked with 5 notches on W. and 1 notch on E. edge, from which the original bearing trees:

A Chinquapin stump 25" dia., bears N.8°E., 46 lks. dist. with no scribe marks visible on rotten blaze. (Rec. dist. 49 lks.)

A Fir snag 27" dia., bears S.58°E., 73 lks. dist. mkd. T24S R4W S on opened blaze.

A Fir 26" dia., bears S.28°W., 73 lks. dist. mkd. with a healed blaze.

A Cedar 45" dia., bears N.83°W., 59 lks. dist. mkd. W S3 on partly opened blaze.

At the corner point

Set an iron post, 30" long, 2" dia., 24" in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd:

T 23 S R 4 W
S 35 | S 36
S 2 | S 1
T 24 S
1957

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec Cor for 35 & 36; 1 & 2, T24-4

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

from which
A W.Fir 7" dia., bears N.46°E., 47 lks. dist. mkd. T23S R4W S36 BT.
A Cedar 14" dia., bears S.48½°E., 75 lks. dist. mkd. T24S R4W S1 BT.
Deposit the basalt stone alongside the iron post.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - Vernon Tracy; Mike Stone, crew - June 1963 - C.S. File 53/9-108

Found - GLO brass cap in mound of rock, 1957 survey.
26" Fir S.28°W., 48.2 ft., shows good scars. Alive and in good condition.
7" W.Fir N.46°E., 31.0 ft., alive and in good condition, scars.
45" Cedar N.83°W., 38.9 ft., has dead top and appears to be dying.
14" Cedar S.48½°E., 49.5 ft. is broken off approx. 15 ft. above ground.
Chinq. stump to the NE. is still in existence.
Fir snag to the SE. still stands, old scribing vis.
New BTs- 7" W.Fir S.11°E., 17.8 ft. mkd. T24S R4W S1 CS BT.
8" Red Cedar N.32½°W., 43.8 ft. mkd. T23S R4W S35 CS BT.

Glen McChesney - Weyerhaeuser Co. - Oct. 9, 1963 - C.S. File 53/108-14

Found - Mound of stone.
20" x 4 ft. rotted Chinquapin stub, a scribed slab from this tree is lying near the corner. N.8°E., 31.1 ft. to center of tree. (1897)
24" x 25 ft. Fir snag, scribing visible, S.58°E., 47.5 ft. dist. to face. (1897)
24" Fir, face not opened, S.28°W., 48.2 ft. to center of tree. (1897)
40" Red Cedar, face open, scribing not visible, N.83°W., 38.0 ft. to face.
Found 1957 U.S. Cadastral brass cap and 3 scribed BTs and US BT plates:
12" W.Fir, plate "47 lks. S.47W", bears N.45°E., 31.0ft. to center of tree.
14" x 20 ft. Cedar snag, with plate "75 lks. N.48½°W", bears S.48°E., 48.8 ft. to face.
8" W.Fir, plate "17.8' N11W", bears S.11°E., 17.5 ft. to face.

(Cont. Next Page)

Alias	Description
Alias	Description
Alias	Description
Alias	Description

Accessories added this date:

40" Red Cedar N.82°W., 36.7 ft. added "W" nail and plate. (Orig. BT.)

36" Fir stump N.1°W., 56.2 ft. with "W" nail and plate. (New BT)

Fd. OK, March 1993 by D. Peel - M 117-5

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor and Robert H Browning, Survey Tech, Under Group No. 2168, Surveyed May/Nov. 2007 - DCSO records Vol. 57 Page(s) 22588-9

The cor. of secs 1, 2, 35, & 36, on the S. bdy. of the Tp., perpetuated by Godfrey, in 1963, and perpetuated by McChesney in 1963, monumented with an iron post, 2½" dia., firmly set, projecting 15" above ground, in a mound of stone, 3 ft. base, 12" high, with brass cap (properly) mkd.

from which the remains of the orig. bearing trees

A decayed chinquapin stump, size indeterminate, bears N.8°E., 30.4 ft., with no marks visible.

A decayed fir snag, size indeterminate, bears S.58°E., 48.2 ft., with fragmentary scribe marks visible on an opened blaze.

A fir, 35" dia., bears S.28°W., 48.2 ft., with a healed blaze.

A cedar, 51" dia., bears N.83°W., 38.9 ft., with no marks visible on an opened blaze.

and remains of bearing trees mkd. by Roseberry

A sawed fir stump, 21" dia., bears N.46°E., 31.0 ft., with a healed blaze.

A cedar, 18" dia., bears S.48½°E., 49.5 ft., with a healed blaze.

and bearing trees mkd. by Godfrey

A fir, 26" dia., bears S.10¼°E., 17.7 ft., with a healed blaze.

A cedar, 25" dia., bears N.31¼°W., 43.7 ft., with a healed blaze.

and remains of a bearing tree mkd. by McChesney

A sawed, decayed fir stump, 39" dia., bears N.1°W., 56.9 ft., with no marks visible.

and new bearing tree

A cedar, 6" dia., bears N.33½°E., 7.4 ft., mkd. X BT.