

TOWNSHIP 23 RANGE 07 POINT IDENTIFIER # 600500

PRIMARY CORNER DESCRIPTION Sec. Cor. for 11, 12, 13 and 14

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by W. H. Byars, Deputy Surveyor, under Contract #376, dated Jan. 22, 1881 - (DCSO records Vol. 6 Page(s) 2520)

Set Yew post for the cor. to secs. 11, 12, 13 and 14, from which

- A Hemlock 30" dia., bears N.60°E., 8 lks. dist.
- A Hemlock 8" dia., bears S.40°E., 55 lks. dist.
- A Maple 18" dia., bears S.60°W., 39 lks. dist.
- A Hemlock 24" dia., bears N.10°W., 27 lks. dist.

Wilford N. Haines, #239 - For: E.G. Whipple of Drain - Filed May 9, 1957 - M 5-20

Found original corner.
Set Corner from Maple BT, S.60°W., 39 lks., only BT found.
Set 1" x 1" x 36" T. iron rod with brass cap inscribed "Survey Point Wilford T. Haines #239".

Wilford N. Haines, #239 - For: E. G. Whipple Mill - Filed Jan. 15, 1959 - M 13-64

Found Lot Marked and one BT.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - Mike Stone & Vernon "Ray" Tracy, crew - July 1962 - C.S. File 52/125-6

Found - Maple S.60°W., 25.7 ft., uprooted and down, one side rotted away. Traces of reverse scribing visible. "BT" legible.

Traces of rotten wood in stump hole, N.10°W., 17.8 ft.

No trace of NE. or SE. BTs in old cat road.

Set Brass cap at cor. mkd: County Surveyors Office

T 23 S R 7 W

S 11 | S 12

S 14 | S 13

1962

New BTs- 20" W.Fir N.58°W., 44.2 ft. mkd. T23S R7W S11 CS BT
42" R.Cedar S.58°W., 59.3 ft. mkd. T23S R7WS14 CS BT
18" Maple N.66°E., 125.4 ft. mkd. T23S R7W S12 CS BT
16" R.Cedar S.72½°E., 182.2 ft. mkd. T23S R7W S13 CS BT.

Corner lies in small draw running East, about 60 ft. West of logging road.

(Cont. Next Page)

Alias	Description
Alias	Description
Alias	Description
Alias	Description

Douglas Co. Surveyors Office - Randall Smith and Stephen Flause, crew - July 5, 1989 - C.S. File 64/1-2

Found - A 1962 2½" dia. DCS0 brass cap on a 1 3/8" O.D. x 36" long Iron pipe, properly mkd., leaning North. Haines Iron rod from 1957 not found.
(Bearings & distances taken to plumb position at base of BC/IP)

- Orig. Maple BT seen in 1957 and 1962 is not found.
- 20" now 32" dia. W.Fir with a fully healed single blaze, bears N.58°W., 44.2 ft. (agrees w/rec.)
- 42" now 48" dia. 60 ft. high burnt and dead Cedar snag, with a burnt out double blaze, no scribing seen, bears S.58°W., 59.3 ft. (agrees w/rec.)
- 18" now 24" dia. 6 ft. high rotted Maple snag, with a 10" Maple growing out of East trunk, axe marks and illegible scribing seen, bears N.64½°E., 125.4 ft. (Rec. N.66°E., 125.4 ft.)
- 16" now 19" dia., 60 ft. high dead Cedar snag with a fully healed upper blaze and a partially healed lower blaze, illegible scribing visible, bears S.22½°E., 182.2 ft. (agrees w/rec.)

Plumb position at base of 1962 DCS0 BC/IP is set back in ground and now protrudes 7" above ground and is surrounded by a 2½ ft. dia. mound of sandstone. The marks "RESET 1989" are added to brass cap.

- New BTs-
- 9" dia. D.Fir double blazed and scribed 'T23S R7W S14 CS BT" bears S.08½°W., 21.1 ft.
 - 13" dia. D.Fir double blazed and scribed "T23S R7W S13 CS BT" bears S.41°E., 25.0 ft.
 - 10" dia., D.Fir double blazed and scribed "T23S R7W S12 CS BT" bears N.27½°E., 97.8 ft.

Douglas McMahan - For: Paul Zolezzi - 9/2022 - M181-33A

Found - 2½" brass cap on iron pipe per M5-20
30" D.Fir bears S.41°E., 25.0' with healed face
40" Fir bears N.58°W., 44.2' with healed face

Douglas McMahan - For: Paul Zolezzi - 6/2023 - M182-39

Found - A 2½" brass cap on an iron pipe.
30" D.Fir bears S.41°E., 25.0' with healed face.
40" W.Fir bears N.58°W., 44.2' with healed face.
Record BT'S: 1989 (Not located this survey)
9" D.Fir bears S.8°30'W., 21 1'
13" D.Fir bears S.41°E., 25.0'
10" D.FIR bears N.27°30'E., 97.8'.

TOWNSHIP 23 RANGE 07 POINT IDENTIFIER # 600500

PRIMARY CORNER DESCRIPTION Sec. Cor. for 11, 12, 13 and 14

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

David Edwards - For: Rocking C Ranch - 7/2023 - M182-45

Found - DCS0 Brass cap
A 30" dia., Fir bears S.41°E., 25.0'
A 36" dia., Fir bears N.58°W., 44.2'
Both with healed blaze.
BTs not of record, found with a Stuntzner Tag -
A 16" dia., Fir bears S.36°W., 31.6'
A 19" dia., Fir bears N.10°W., 27.7'
Both trees faced but not scribed
New - A 5.5' steel post is set south 2'
Note - No other BTs of record could be found.