

PRIMARY CORNER DESCRIPTION 1/4 Cor. Secs. 21 & 28

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO survey by Carl S. Nicklin, Dep. Surveyor under contract # 664, dated May 23, 1896 - (DCSO recs Vol. 7 Page(s) 2829)

Set a basalt stone 10x8x8" 7" in the ground for 1/4 sec. cor. marked 1/4 on N face, from which

A fir, 42" dia., bears N.13°E., 34 lks., mkd: 1/4 S BT.

A fir, 36" dia., bears S.46°W., 26 lks., mkd: 1/4 S BT.

This cor. is on a steep hillside, sloping SE, about 50 ft. above spur last noted.

Douglas Co. Surveyors Office - Vernon "Ray" Tracy - Terry Connell - May 1966 - C.S. File 52/42-39

Found - Orig. 42", now 50" Fir N.13°E., 22.4 ft., shows good scar, we do not open. Alive

Orig. 36" now 41" Fir S.46°W., 17.2 ft., alive, open & find "4 S" scribe & reverse.

Basalt rock 8"x7"11" downhill from corner & out of ground, possible chisel marks "1/"

Set - Brass cap at cor. mkd: COUNTY SURVEYORS T24S R1W

OFFICE 1/4 S 21

1961 S 28

New BTs- 6" D.Fir S.70°E., 7.4 ft., mkd: 1/4 S28 CS BT

7" D.Fir N.18°E., 7.7 ft., mkd: 1/4 S21 CS BT

Note - Corner lies on steep, SW'ly slope.

Douglas Co. Surveyors Office - Larry E. Monrean, Deputy - Janet Lundeen - John Powell - Sept. 1983 - C.S. File 62/9-4

Found - 1966 county brass cap, properly marked on iron pipe firmly set.

From orig. survey, possible corner stone noted per 1961 ren.

Orig. fir, 42" now 52", with well healed blaze bears N.13°E., 21.9 ft. (rec. 22.4 ft.)

Orig. 36" fir, now a stump with partially opened blaze & visible scribing bears S.43°W., 16.5 ft., (rec. S.46°W., 17.2 ft.)

7" D.Fir with scribing visible in a partially healed blaze bears N.18°E., 7.7 ft. to blaze (per rec.) & N.13 1/2°E., 8.5 ft. to root crown. 1961

6" Fir S.70°E., is down.

New - Set an 8"x1/2" spike in a 34" fir stump, bears S.37°E., 35.0 ft. spike set through a "DOUGLAS COUNTY SURVEYORS OFFICE" BT tag in top of stump.

Note - Corner lies on steep SW slope, in E-W cutting line. Clear cut to South.