

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

GL0 survey by John A. McQuinn, Deputy Surveyor, under Contract #466, dated April 5, 1883 (DCSO records Vol. 5 Page(s) 2175)

Set Yew post 4 ft. long, 4" sq., 24" in the ground, for cor. to secs. 4, 5, 32 and 33, mkd. T23S S33 on NE.; R2W S4 on SE.; T24S S5 on SW.; and S32 on NW. faces, with 4 notches on E. and 2 notches on W. edges, from which
A Fir 30" dia., bears N.62°E., 52 lks. dist. mkd. T23S R2W S33 BT.
A Fir 30" dia., bears S.64°E., 60 lks. dist. mkd. T24S R2W S33 BT.
A Fir 40" dia., bears S.52°W., 34 lks. dist. mkd. T24S R2W S5 BT.
A Maple 5" dia., bears N.20°W., 10 lks. dist. mkd. T23S R2W S32 BT.

GL0 Survey by Henry L. Chandler, U.S. Deputy Surveyor, under Contract #619, dated June 5, 1893 - (DCSO records Vol. 5 Page(s) 2182)

(79.75 chs.)
Old sec. cor., a post bears South 3.75 chs. I destroyed this post, also the marks on the old bearing trees.
(80.00 chs. West)
Set a basalt stone 15x12x5 ins., in the ground for cor. to secs. 4, 5, 32 and 33, mkd. with 4 notches on E. and 2 notches on W. edges, from which
A Fir 60" dia., bears N.16°30'E., 37 lks. dist. mkd. T23S R2W S33 BT.
A Fir 36" dia., bears S.31°30'E., 89 lks. dist. mkd. T24S R2W S4 BT.
A Fir 36" dia., bears S.52°W., 35 lks. dist. mkd. T24S R2W S5 BT.
A Fir 48" dia., bears N.19°W., 40 lks. dist. mkd. T23S R2W S32 BT.

John E. Wilson - For: Weyerhaeuser Co. - Oct. 1964 - C.S. File 51/306-1

GL0 Survey record 1894: Basalt stone 15"x12"x5", gone.
60" Fir N.16½°E., 37 lks.; now 60" Fir, bark scribing visible.
36" Fir N.31½°E., 89 lks., healed faces not chopped open
36" Fir now snag, S.52°W., 35 lks.; healed faces not open
48" Fir N.19°W., 40 lks., scribing on bark.
Referenced by Marion Hale (Plates & "W" nails only)
(Cont. Next Page)

TOWNSHIP 24 RANGE 02 POINT IDENTIFIER # 300700

PRIMARY CORNER DESCRIPTION Sec. Cor. for 4 & 5; 32 & 33, T23-2

Alias _____ Description _____

Alias _____ Description _____

Alias _____ Description _____

Alias _____ Description _____

60" Fir N.13°E., 21.5 ft.
32" Fir S.54°W., 23.6 ft.
26" Fir S.88°E., 45.4 ft.
36" Fir N.84°W., 39.5 ft.