

Alias	Description
Alias	Description
Alias	Description
Alias	Description

Found - 1882 post, gone.
Orig. 6" Maple, N.40°E., no trace.
1882, 5" Maple, S.60°E., 36 lks., (23.8 ft.), stub
of vine maple.
1882, 36" Spruce, S.5°W., 8 lks. (5.3 ft.), 64"
Fir, not a Spruce.
1882, 7" Maple, N.25°W. 35 lks. (23.1 ft.), no trace
1950 brass cap found.
1950, 8" Hemlock now 10", N.53¼°E., 30 lks. (19.8
ft., scribing visible.
1950, 8" Hemlock now 8", S.18¼°E., 31 lks., 20.5
ft., scribing visible.
1950, 12" Hemlock not 14", S.70 3/4°W., 57 lks.
(37.5 ft.), scribing visible.
1950, 18" Yew, N.49½°W., 97 lks. (64.0 ft.),
scribing visible.

Accessories added this date:

8" Hemlock N.52°E., 17.9 ft. with "W" nails and plate.
64" Fir S.15°W., 5.0 ft. with "W" nails and plate.
8" Hemlock S.16°E., 20.2 ft. with "W" nails and plate.
18" Yew N.49°W., 66.0 ft. with "W" nails and plate.

Douglas County Surveyors Office - Vernon "Ray" Tracy and crew
Sept. 25, 1967 - C.S. File 54/16-53

Found - 1950 GLO brass cap, firmly set and properly mkd.
Orig. Fir to SW., no stump, no bark scribe.
No trace orig. BT to SE.
8" now 16" Hemlock, alive, N.53¼°E., 19.8 ft.,
scribe marks visible on unhealed blaze.
8" now 14" Hemlock S.18¼°E., 20.5 ft., alive, healed
blaze.
12" Hemlock, now stump, S.70°45'E., 37.0 ft., scribe
marks visible.
18" Yew now stump, N.49½°W., 64.0 ft., scribe marks
visible.
New BTs- 8" Hemlock S.38°W., 18.4 ft. mkd. T23S R3W S5 CS BT
9" Chinquapin N.34°W 12.8 ft. mkd T23S R3W S32 CS BT
Corner lies 150 ft. N. of small creek, dry in cut off area.

BLM dependent resurvey by Bryan S. Seibold, Cadastral
Surveyor, & Robert Browning, Survey Technician, under Group
#11739, surveyed July/Oct. 1994 - (DCSO records Vol. 52
Page(s) 20061-2)

The cor. of secs. 4, 5, 32, & 33, monumented with an iron
post, 2" dia., firmly set, projecting 16" above ground, with
brass cap mkd. continued next page

Alias _____ Description _____
 Alias _____ Description _____
 Alias _____ Description _____
 Alias _____ Description _____

T23S R3W
 S32 | S33
 S5 | S4
 T24S
 1950

from which the remains of an original bearing tree
 A sawed fir stump, 55" dia., bears S.5°W., 8 lks., with no marks visible.
 and the remains of bearing trees mkd. by Price
 A hemlock, 28" dia., bears N.53¼°E., 27½ lks., with healed blaze. (Record, 30 lks.)
 A hemlock, 20" dia., bears S.18¼°E., 31 lks., with healed blaze.
 A sawed yew stump, 19" dia., bears N.49½°W., 97 lks., with scribe marks T23S R3W S32 B visible on partially healed blaze.
 and the remains of bearing trees mkd. by Tracy, in 1967,
 A hemlock, 19" dia., bears S.37½°W., 28 lks., with heal blaze.
 A maple snag, 9" dia., bears N.33½°W., 18 lks., with scribe marks T23S R3W S32 CS BT visible on open double blaze.
 and a new bearing tree
 A hemlock, 7" dia., bears N.51¼°W., 18 lks., mkd. T23S R3W S32 BT.

Dan Baker - For: Weyerhaeuser Co. - 12/2005 - M149-70

Found - 2" iron pipe with USGLO 2½" brass cap "1950"
 31" Hemlock, N.60°E., 18.5' - center measure
 21" Hemlock, S.16°E., 21.0' - center measure
 54" Fir stump, S.15°W., 5.5' - to "W" nail in face.
 9" Hemlock, N.51°W., 12.1' - center measure
 8"x15' Hemlock snag, N.34°W., 12.8' - center measure
 Set - 6' fence post alongside.