

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Original - Oscar F. Thiel, Contract #658, May 1896 (DCSO records Vol. 7 Page(s) 3068)

-----

A point 20' above stream, set a Maple post 3' long, 4" sq., 24" in the ground for cor., mkd: T24S S3 on NE; R4W S10 on SE; S9 on SW and S4 on NW faces with 3 notches on Ea and 5 notches on S edges from which

- A Cedar, 36" dia., bears N.36½°E., 36 lks., mkd: T24S R4W S3 BT.
- A Cedar, 30" dia., bears S.88°E., 88 lks., mkd: T24S R4W S10 BT.
- A Hemlock, 20" dia., bears S.40°W., 46 lks., mkd: T24S R4W S9 BT.
- A Cedar, 32" dia., bears N.33°W., 54 lks., mkd: T24S R4W S4 BT.

Douglas Co Surveyors Office - James Byron, Deputy Co Surveyor - M.E. Godfrey - C. Putman - March 1961 - C.S. 49/124-70

-----

Found - Orig. 30" now 40" Cedar, S.88°E., 58.1', shows good scar.  
 Orig. 20" Hemlock S.40°W., 30.4', shows good scribe, now snag.  
 Orig. 32", now dead 44" Cedar N.33°W., 35.6', shows good scribe.  
 Orig. NE BT not found.

Set - Brass cap at corner mkd: COUNTY SURVEYORS S 4 | S 3  
 OFFICE 1961 S 9 | S10

New BTs- 11" Hemlock, bears N.0°30'E., 49.0', scribed T24S R4W S3 CS BT.  
 10" Yewwood, bears N.77°W., 23.5', scribed T24S R4W S4 CS BT.  
 5" Yewwood bears S.13½°W., 48.0', scribed T24S R4W S9 CS BT.

Douglas Co. Surveyors Office - Milo E. Godfrey, Deputy - Vernon Tracy - Mike Stone - Feb/Mar. 1963 - C.S. File 53/9-31

-----

Found - County Surveyor brass cap set in 1961.  
 Orig. SW Hemlock & NW Cedar are still standing, dead The trees mkd in 1961, all alive/in good condition:  
 10" Hemlock, (not yew) N.77°W., 23.5'.  
 11" Hemlock, N.½°E., 49.0'.  
 5" Hemlock, (not yew) S.13½°W 48.0'.  
 40" Cedar, S.88°E., 58.1', has top broken out, Will probably die.

New BT - 40" Cedar, S.38°E., 54.2', mkd: T24S R4W S10 CS BT.

cont.

TOWNSHIP 24 RANGE 04 POINT IDENTIFIER # 400600

PRIMARY CORNER DESCRIPTION Cor Secs 3, 4, 9, & 10

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

Fd & used on BLM dependent resurvey by James E. Jelly, Cadastral Surveyor, under Group #979, surveyed May/Sept. 1979 (DCS0 records Vol. 42 Page(s) 16392)

Fd & used on BLM dependent resurvey by Lance J. Bishop & James L. White, Cadastral Surveyor, under Group 1233, surveyed Oct. 1984/Jan. 1985 (DCS0 records Vol. 47 Page(s) 18025-26)

BLM dependent resurvey by Wayne L. Rogers, under Group #1834 surveyed April 1997 - (DCS0 records Vol. 52 Page(s) 20183-4)

-----  
The cor. of secs. 3, 4, 9, & 10, monumented with an iron post, 1 1/4" diam., firmly set, projecting 15" above ground, with brass cap mkd.

COUNTY SURVEYORS OFFICE

T 24 S R 4 W

S 4	S 3
S 9	S 10

1961

from which the remains of the original bearing trees

A root crown, size indeterminate, bears N.36 1/2°E., 36 lks., no marks visible.

A cedar snag, 37" diam., bears S.88°E., 88 lks., no marks visible.

A sawed cedar stump, 30" diam., bears N.33°W., 54 lks., with fragmentary scribe marks visible on opened blaze.

and remains of bearing trees mkd. by Byron, in 1961

A hemlock, 21" diam., bears N. 1/2°E., 73 1/2 lks., with healed blaze. (Record, N. 1/2°W.)

A roothole, bears S.10 1/4°W., 73 1/2 lks., with a downed hemlock alongside, 13" diam., with healed single blaze.

A hemlock, 24" diam., bears N.78°W., 35 lks., with healed single blaze.

and a bearing tree mkd. by Godfrey, in 1963

A cedar, 47" diam., bears S.38°E., 81 lks., with healed blaze.

and a new bearing tree

A hemlock, 13" diam., bears S.58°W., 109 lks., mkd. T24S R4W S9 BT.

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor and Robert H Browning, Survey Tech, Under Group No. 2168, Surveyed May/Nov. 2007 - DCS0 records Vol. 57 Page(s) 22607-8

-----  
The cor. of secs. 3, 4, 9, & 10, monumented with an iron post, 1 1/4" dia., firmly set, projecting 16" above ground, with brass cap (properly) mkd.

continued next page

TOWNSHIP 24 RANGE 04 POINT IDENTIFIER # 400600

PRIMARY CORNER DESCRIPTION Cor Secs 3, 4, 9, & 10

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

from which the remains of the orig. bearing trees  
A root crown bears N.36½°E., 23.8 ft., with no marks visible.  
A cedar snag, 35" dia., bears S.88°E., 58.1 ft., with a healed blaze.  
A roothole bears S.40°W., 30.4 ft., with no marks visible.  
A sawed, decayed cedar stump, 40" dia., bears N.33°W., 35.6 ft., with fragmentary scribe marks visible on an opened blaze.  
and remains of BTs mkd. by James W. Byron  
A hemlock, 27" dia., bears N.0½°E., 48.5 ft., with a healed blaze.  
A roothole bears S.10¼°W., 48.5 ft., with fallen hemlock snag, 10" dia., lying alongside, with no marks visible.  
A hemlock, 26" dia., bears N.78°W., 23.1 ft., with a healed blaze.  
and bearing tree mkd by Godfrey, in 1963  
A cedar, 51" dia., bears S.38°E., 53.5 ft., with no marks visible on an opened, hollowed blaze.  
and bearing tree mkd. by Rogers  
A hemlock, 14" dia., bears S.58°W., 71.9 ft., with fragmentary scribe marks visible on a partially healed blaze.  
(NAD 1983 (CORS 96))  
Latitude: 43°30'16.39"N      Longitude: 123°10'02.68"W