

PRIMARY CORNER DESCRIPTION Cor. Secs. 2, 3, 10, & 11

Alias	Description
_____	_____
_____	_____
_____	_____
_____	_____

<p>Original - Gordon & Gardner, Contract #52 dated Feb. 1855 (DCSO records Vol. 7 Page(s) 3030-31)</p> <p>-----</p> <p>Set post cor. from which</p> <ul style="list-style-type: none">A Hemlock, 20" dia., bears N.22°W., 25 lks.A Hemlock, 20" dia., bears N.59°E., 46 lks.A Cedar, 12" dia., bears S.46°W., 48 lks.A Maple, 8" dia., bears S.52°E., 49 lks.
<p>GLO resurvey Oscar F. Thiel, Contract #658, May 1896 (DCSO records Vol. 7 Page(s) 3066-67)</p> <p>-----</p> <p>I reestablish the cor. by setting a Cedar post 3' long, 4" sq., 24" in the ground mkd: T24S S2 on NE; R4W S11 on SW & S3 on NW face & with 5 notches on S & 2 notches on E edges & witnessed as described by the surveyor general.</p>
<p>O.F. Thiel - Marion Bigelow & Donald Bigelow witnesses - No date (probably 1942) - C.S. File 61/5-6</p> <p>-----</p> <p>Fd. - SW BT which was decayed but several marks visible. Old scar did not heal over and rotted. Stub of SE BT found badly decayed but old marks plain. Other BTs gone.</p> <p>Set - 4" sq. yew post, marked, from orig.</p> <ul style="list-style-type: none">W.Fir 8", S.82°E., 39 lks.Cedar 8", N.23°E., 38 lks.Dogwood 12", N.49°W., 26 lks.Cedar 20", S.46°W., 48 lks.
<p>Wilford Haines - Leo Martin - Jan. 1957 - M 4-16</p> <p>-----</p> <p>Found - 20" Cedar, S.46°W., 48 lks. 1942 12" Dogwood, N.49°W., 26 lks. 1942 8" W.Fir, S.82°E., 29 lks. 1942</p> <p>Set - 1"x36" iron ⊥ rod with brass cap attached & inscribed "SURVEY POINT WILFORD N. HAINES #239" 20" Fir, S.83°E., 245.0', (only tree available)</p>
<p>GLO dependent resurvey by Lynn M. Roseberry, Cadastral Surveyor, Group #349, surveyed Aug/Sept 1957 (DCSO records Vol. 28 Page(s) 12104)</p> <p>-----</p> <p>The cor. perpetuated with an angle iron, 36x1x1 ins., firmly set 30" in the ground, with brass cap marked "Wilford N. Haines, 239, survey point, Drain Ore." from which remains of the OBT: (Cont. next page)</p>

PRIMARY CORNER DESCRIPTION Cor. Secs. 2, 3, 10, & 11

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A burned Cedar stump, 24" dia., bears S.46°W., 48 lks., no marks remaining.

and trees marked by local surveyors,

A burned & turned out Cedar 15" dia., bears N.31½°E., 37½lks., with scribe mark "B" remaining on burned-out blaze.

A burned Dogwood stump, approx. 12" dia., bears N.43½°W., 27 lks., no marks remaining.

A Fir, 20" dia., bears S.82°E., 374 lks., bark scribed T24S R4W S11 BT.

At the corner point

Set an iron post, 30" long, 2" dia., 24" in the ground, with brass cap mkd:

T24S	R4W
S 3	S 2
S10	S11
1957	

from which

A Fir, 22" dia., bears N.65°E., 346 lks., mkd: T24S R4W S2 BT.

A Fir, 15" dia., bears S.10½°E., 308 lks., mkd: T24S R4W S11 BT.

A Fir, 12" dia., bears S.64¼°W., 284 lks., mkd: T24S R4W S10 BT.

A Fir, 25" dia., bears N.87°W., 425 lks., mkd: T24S R4W S3 BT.

Reset the angle iron alongside the iron post.

BLM dependent resurvey by Boyd W. Peterson, Cadastral Surveyor, under Group #1448, surveyed July/Aug. 1988 (DCSO records Vol. 49 Page(s) 18666)

Beginning at the cor. monumented with an iron post, 2½" dia., firmly set, projecting 8" above ground (with a 1" "T" shaped iron rod, firmly set alongside, projecting 15" above ground), with properly marked brass cap.

from which

A burned Cedar stump, size indeterminate, bears S.46°W., 48 lks., no marks remaining.

and the remains of a bearing tree mkd. by Haines in 1957

A sawed Fir, 24" dia., bears S.82°E., 349 lks., no marks visible. (Rec. 374 lks.)

and the remains of bearing trees mkd. by Roseberry

A root hole, bears N.65°E., 346 lks., with a down Fir lying alongside, 25" dia., with healed blaze.

A Fir, 23" dia., bears S.10½°E., 311 lks., with healed blaze. (Rec. 308 lks.)

A Fir, 26" dia., bears S.64¼°W., 282 lks., with healed blaze. (Rec. 284 lks.) (Cont. next page)

PRIMARY CORNER DESCRIPTION Cor. Secs. 2, 3, 10, & 11

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

and new bearing trees
A Fir, 15" dia., bears N.80°E., 23 lks., mkd: T24S R4W S2 BT.
A Fir, 12" dia., bears N.65°W., 24 lks., mkd: T24S R4W S3 BT.

BLM dependent resurvey by Wayne L. Rogers, under Group #1834 surveyed April 1997 - (DCSO records Vol. 52 Page(s) 20181-2)

The cor. of secs. 2, 3, 10, & 11, monumented with an iron post, 2½" diam., firmly set, projecting 6" above ground (with a "T" shaped iron rod alongside, 1" diam., projecting 14" above ground), with brass cap mkd.
T 24 S R 4 W
S 3 | S 2
S 10 | S 11
1957
from which the remaining bearing trees mkd. by Roseberry
A fir, 25" diam., bears S.10½°E., 311 lks., with healed blaze.
A fir, 29" diam., bears S.64½°W., 282 lks., with healed blaze.
and bearing trees mkd. by Peterson in 1988
A fir, 20" diam., bears N.80°E., 23 lks., with healed blaze.
A fir, 12" diam., bears N.57°W., 24 lks., with healed blaze. (Record, N.65°W.)

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor and Robert H Browning, Survey Tech, Under Group No. 2168, Surveyed May/Nov. 2007 - DCSO records Vol. 57 Page(s) 22604

The cor. of secs. 2, 3, 10, & 11, monumented with an iron post, 2½" dia., firmly set, projecting 6" above ground (a "T" shaped iron rod, 1" dia., driven alongside, projecting 14" above ground), with brass cap (properly) mkd.
from which the remains of an orig. bearing tree
A decayed cedar stump, size indeterminate, bears S.50¾°W., 35.1 ft., with no marks visible. (Record, S.46°W., 31.7 ft.)
and remains of a BT mkd. by Haines, in 1957
A sawed, decayed fir stump, size indeterminate, bears S.82°E., 230.3 ft., with no marks visible.
and remains of bearing trees mkd. by Roseberry
A roothole bears N.65°E., 228.4 ft., with fallen fir trunk, size indeterminate, lying alongside, with no marks visible.
continued next page

TOWNSHIP 24 RANGE 04 POINT IDENTIFIER # 500600

PRIMARY CORNER DESCRIPTION Cor. Secs. 2, 3, 10, & 11

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A fir, 31" dia., bears S.10½°E., 205.3 ft., with a healed blaze.
A fir, 33" dia., bears S.64¼°W., 186.1 ft., with a healed blaze.
A fir, 35" dia., bears N.87°W., 280.5 ft., with a healed blaze.
and bearing trees mkd. by Peterson
A fir, 23" dia., bears N.80°E., 15.2 ft., with a healed blaze.
A fir, 13" dia., bears N.57°W., 15.8 ft., with a healed blaze.