

TOWNSHIP 24 RANGE 07 POINT IDENTIFIER # 200340

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 19 and 20

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO survey by Dennis Hathorn, Deputy Surveyor under Contract #73, dated June 8, 1857 - (DCSO records Vol. 8 Page(s) 3217)

Set ¼ sec. post, from which
 A Fir 50" dia., bears N.88°E., 50 lks. dist.
 A Myrtle 6" dia., bears S.50°W., 17 lks. dist.

Fd. and used GLO survey by William R. Whipple, Deputy Surveyor, under Contract #622, dated June 23, 1893 (DCSO records Vol. 8 Page(s) 3273)

H.L. Eppstein, County Surveyor - Wit: N.E. Richardson; Ernie Short - Oct. 21, 1928 - Vol. 3 Page 288

Set a 4" x 4" x 4 ft. post for corner from old Fir witness tree and Myrtle witness tree.
Marked a new BT:
 15" Fir N.54°W., 18 lks.

Douglas Co. Surveyors Office - James Byron, Deputy - Milo Godfrey; S. Bilow, crew - May 14, 1958 - C.S. File 49/88-1

Found - Orig. 50" now 58" Fir stump, N.88°E., 33.0 ft. Open lower scar and find good scribing "T".
 16" Myrtle stub that checks brg. & dist. for orig. SW. BT.
Set Brass cap at cor. mkd: County Surveyors Office
 T 24 S R 7 W
 ¼ S19|S20
 1958
New BTs- 14" Cedar bears S.27½°E., 77.2 ft. scribed ¼ S20 CS BT. Scribed high, top scribed 8 ft. above ground.
 14" R.Fir bears N.62°W., 68.0 ft. scribed ¼ S19 CSBT

Fd. OK, Nov. 23, 1981 by Les Roberts - M 90-12

BLM Dependent resurvey by A. Bert Skeesick, Cadastral Surveyor and Robert H. Browning, Survey Tech, under special instructions and Group No. 2104, surveyed July 2005/Jan. 2006- (DCSO records Vol. 57 Page(s) 22366-7)

The ¼ sec. cor. of secs. 19 and 20, remonumented by the Douglas County Surveyors Office in 1928, and remonumented by the Douglas County Surveyors Office again in 1958, monumented with an iron post, 1¼" dia., firmly set, projecting 18" above ground, with brass cap (properly) mkd.
continued next page

TOWNSHIP 24 RANGE 07 POINT IDENTIFIER # 200340

PRIMARY CORNER DESCRIPTION 1/4 Cor. for Secs. 19 and 20

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

from which the remains of the orig. bearing trees
A sawed and decayed fir stump, 36" dia., bears N.89½°E.,
34.8 ft., with no marks visible. (Record, N.88°E.,
33.0 ft.)
A clump of myrtle sprouts growing from a decayed myrtle
stump, size indeterminate, bears S.44½°W., 11.2 ft.,
with no marks visible. (Record, S.50°W.)
and remains of BTs mkd. by the Douglas County Surveyors
Office in 1958
A sawed cedar stump, 39" dia., bears S.28°E., 76.1 ft.,
with no marks visible.
A sawed fir stump, 29" dia., bears N.62½°W., 67.3 ft.,
with a healed blaze.
and new bearing trees
A cedar, 28" dia., bears S.27½°E., 137.5 ft. mkd. ¼ S20 BT
A myrtle, 9" dia., bears S.51½°W., 9.1 ft., mkd. ¼ S19 BT.