

PRIMARY CORNER DESCRIPTION Sec. Cor. for 5, 6, 7 and 8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GL0 survey by Dennis Hathorn, Deputy Surveyor under Contract #73, dated June 8, 1857 - (DCSO records Vol. 8 Page(s) 3214)

-----

Set post, cor. secs. 5, 6, 7 and 8, from which

- A Fir 15" dia., bears N.35°W., 30 lks. dist.
- A Fir 18" dia., bears S.2°W., 100 lks. dist.
- A Fir 36" dia., bears S.20°E., 59 lks. dist.
- A Fir 50" dia., bears N.85°E., 25 lks. dist.

---

Fd. and used in GL0 survey by William R. Whipple, Deputy Surveyor, under Contract #622, dated June 23, 1893 (DCSO records Vol. 8 Page(s) 3264)

---

Douglas Co. Surveyors Office - James Byron, Deputy - Milo Godfrey; Clete Putnam, crew - Sept. 7, 1960 - C.S. 49/41-37

-----

Found - Orig. 50" now 50" Fir snag, N.85°E., 16.5 ft., bark off, no scribing.

- Orig. 36" now 40" Fir, S.20°E., 38.9 ft., shows good scribing, bark, "T24S R"
- Orig. 24" now 36" Fir, S.2°W, 66.0 ft., shows good scar.
- Orig. 20" now 30" Fir stump, N.35°W., 19.8 ft., shows old scar.

Set Brass cap at cor. mkd: County Surveyors Office

T	24	S	R	7	W
	S	6		S	5
	S	7		S	8
				1960	

New BTs-

- 15" Hemlock bears N.43½°E., 27.0 ft. scribed S5 T24S R7W CS BT.
- 10" Hemlock bears N.37½°W., 30.3 ft. scribed S6 T24S R7W CS BT.
- 10" R.Fir bears S.53½°W., 37.3 ft. scribed S7 T24S R7W CS BT.
- 17" Chinquapin bears S.20°E., 21.3 ft. scribed S8 T24S R7W CS BT.

---

BLM Resurvey by C. Albert White, Cadastral Surveyor and Donald R. Beck, Surveying Technician, Under Group #515, Surveyed June/Oct. 1963 - (DCSO records Vol. 32 Page(s) 13484-85)

-----

The Sec. Cor., perpetuated and recorded by Byron in 1960, monumented with an iron post, 1" dia., firmly set, protruding 12" above ground, with brass cap mkd. in 1960, from which the original bearing trees:

(Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 5, 6, 7 and 8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A rotted Fir snag 50" dia., bears N.85°E, 28 lks. dist. to face, no marks remaining. (Rec. 25 lks.)  
A down Fir 60" dia., bears S.20°E., 59 lks. dist. mkd. T24S R7W S8 on bark blaze.  
A down Fir 33" dia., bears S.2°W., 100 lks. dist., mkd. with illegible bark scribing.  
A sawed Fir stump 30" dia., bears N.35°W., 32 lks. dist. 30 lks. dist. to face, no marks visible. (Rec. 30 lks.) and bearing trees mkd. by Byron:  
A Hemlock 15" dia., bears N.43°E., 42 lks. dist., mkd. T24S R7W S5 CS BT on double blaze.  
A Chinquapin 17" dia., bears S.19°E., 30 lks. dist. mkd. T24S R7W S8 CS BT on double blaze.  
A Fir snag 8" dia., bears S.52½°W., 55 lks. dist. mkd. T24S R7W S7 CS BT on double blaze.  
A Hemlock 10" dia., bears N.36½°W., 44 lks. dist. mkd. T24S R7W S6 CS BT on double blaze.  
and a new bearing tree:  
A Hemlock 8" dia., bears S.14°W., 24 lks. dist. mkd. T24S R7W S7 BT.

Survey by Mark Smalley - For: Scott Timber Co. - Sept. 1996 -M 125-67

-----

Found - 1960 County BC/IP.  
20" Fir N.35°W., 19.8 ft., stump. (OBT)  
18" Hemlock N.37½°W., 30.3 ft., healed.  
50" Fir N.85°E., 16.5 ft. rotten. (OBT)  
26" Hemlock N.43½°E., 27 ft., healed.  
40" Fir S.20°E., 38.94 ft., down. (OBT)  
17" Chinquapin S.20°E., 19.8 ft., down.  
36" Fir S.2°W., 66 ft., down. (OBT)  
10" Fir S.53½°W., 37.3 ft., down.  
13" Hemlock N.44°E., 18.9 ft., 15.84 ft., stump.  
New BTs- 8" Hemlock N.44°E., 18.9 ft. "S 5 BT".  
12" Fir S.16°W., 35.7 ft. "S 7 BT"

BLM Dependent resurvey by A. Bert Skeesick, Cadastral Surveyor and Robert H. Browning, Survey Tech, under special instructions and Group No. 2104, surveyed July 2005/Jan. 2006 (DCSO records Vol. 57 Page(s) 22377-8)

-----

The cor. of secs. 5, 6, 7, and 8, monumented with an iron post, 1¼" dia., firmly set, projecting 8" above ground, with brass cap (properly) mkd. from which the remains of the orig. bearing trees

continued next page

TOWNSHIP 24 RANGE 07 POINT IDENTIFIER # 200600

PRIMARY CORNER DESCRIPTION Sec. Cor. for 5, 6, 7 and 8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A decayed fir stump, size indeterminate, bears N.79 $\frac{3}{4}$ °E., 17.8 ft., with fragmentary scribe marks visible on a decayed blaze. (Record, N.85°E., 16.5 ft.)  
A sawed, decayed fir stump, 32" dia., bears N.35°W., 19.2 ft., with no marks visible. (Record, 21.1 ft.)  
bearing trees mkd. by the Douglas County Surveyors Office, reported by White and Beck  
A hemlock, 26" dia., bears N.43°E., 26.2 ft., with a healed blaze. (Record, 27.7 ft.)  
A roothole bears S.52 $\frac{1}{2}$ °W., 37.6 ft., with fallen, decayed fir trunk, 8" dia., lying alongside, no marks visible. (Record, 36.3 ft.)  
A hemlock, 23" dia., bears N.36 $\frac{1}{2}$ °W., 29.0 ft., with a healed blaze.  
and bearing trees mkd. by Smalley, in 1996  
A hemlock, 8" dia., bears N.43 $\frac{3}{4}$ °E., 19.0 ft., with scribe marks 5 BT visible on a partially healed blaze.  
A fir, 10" dia., bears S.19°W., 35.8 ft., with fragmentary scribe marks visible on a partially healed blaze.