



PRIMARY CORNER DESCRIPTION Cor Secs 5, 6, 7, & 8

Alias	Description
Alias	Description
Alias	Description
Alias	Description

A cedar snag, 14" dia., bears N.34°W., 54 lks., with fragmentary scribe marks visible on partially open blaze.  
and a tree not of known record  
A fir snag, 16" dia., bears N.49°E., 59 lks., with scribe marks T25S R1W S5 BT visible on open blaze.  
Raise a mound of stone, 5 ft. base, to top, around the iron post.

BLM Dependent Resurvey by Kenneth W. Saveland, Cadastral Surveyor, under Group No. 2500, Surveyed Sept./Nov. 2011 - (DCSO records BLM Plat T25-1W 2012-2 & Vol. 58 Pages 22945-6)

-----  
The cor. of secs. 5, 6, 7, & 8, monumented with an iron post, 1¼" dia., firmly set, projecting 5" above a mound of stone, 5 ft. base, 2 ft. high, with brass cap (properly) mkd from which the remains of an orig. BT

A hollow decayed cedar stump, size indeterminate, bears S.34°W.,, 32.3 ft. with no marks visible.  
and the remains of BTs mkd. by Byron in 1960

A fir, 17" dia., bears S.82°E., 44.6 ft. with a healed blaze. (Rec. S.80½°E.)

A decayed chinquapin snag, size indeterminate, bears S.66°W., 31.7 ft. with no marks visible.

A cedar snag, 14" dia., bears N.36¼°W., 30.1 ft. with fragmentary scribe marks visible on a partially healed blaze. (Rec. N.34°W., 35.6 ft.)

and a BT mkd. by person(s) unknown, reported by Jelley

A burnt fir snag, 15" dia., bears N.49°E., 38.9 ft. with scribe marks T25S R1W S visible on a partially healed blaze.

and new BTs

A fir, 12" dia., bears N.26¾°E., 14.1 ft., mkd: T25S R1E S5 BT.

A fir, 10" dia., bears S.35¼°W., 21.5 ft., mkd: T25S R1E S7 BT.

A fir, 14" dia., bears N.31¼°W., 10.6 ft., mkd: T25S R1E S6 BT.

NAD 1983 (CORS 96))

Latitude 43°25'21.11"N Longitude 122°50'29.82"W

Russell Badgley - For: Seneca Jones Timber Co. - 1/2021 - M177-80

-----  
Found - A 1¼" iron post by Byron with the DCSO in 1960, firmly set and projecting 6" above a stone mound, 5 ft in dia. at base, with a 2½" brass cap (properly) marked. from which Cont. next pg

TOWNSHIP 25 RANGE 01 POINT IDENTIFIER # 200600

PRIMARY CORNER DESCRIPTION Cor Secs 5, 6, 7, & 8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A BT by Byron in 1960 -  
A 21" D.Fir bears S.82°45'E., 44.6 ft w/healed blaze  
(S.82°E , 44.6') 2008  
And BTs by Saveland, BLM in 2011 -  
A 16" D.Fir N.26°30'E., 13.8 ft w/healed blaze  
(N.26¼°E., 14.1')  
A 13" D.Fir bears S.35°15'W., 21.3 ft w/healed blaze  
(S.35¼°W., 21.5 ft.)  
A 18" D.fir bears N.31°45'W., 10.5 ft w/healed blaze  
(N.31¼°W., 10.6')

NAD83 (2011)  
Latitude 43°25'21.11003"N      Longitude 122°50'29.82006"W