



TOWNSHIP 25 RANGE 02 POINT IDENTIFIER # 200300

PRIMARY CORNER DESCRIPTION Cor Secs 19, 20, 29, & 30

Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

BLM Dependent resurvey by Wayne Rogers, Cadastral Surveyor & Robert Browning, Surveying Technician, under Group #1659, surveyed June/July 1993 - (DCSO records Vol. 51 Page(s) 19420-1)

-----  
The cor. of secs. 19, 20, 29, & 30, perpetuated by Byron, Deputy County Surveyor, in 1959, monumented with an iron post, 1 1/4" dia., firmly set, projecting 10" above a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd.

COUNTY SURVEYORS OFFICE

S 19	S 20
S 30	S 29
T25S	R2W

1959

from which the remains of the original bearing trees

A chinquapin stump, 20" dia., bears N. 65° E., 27 lks., no marks visible.

A chinquapin, 14" dia., bears S.69°E., 21 lks., with decayed partially healed blaze.

A cedar stump, 37" dia., bears S.24°W., 30 lks., with healed blaze.

and bearing trees mkd. by Byron

A fir, 21" dia., bears N.3°E., 24 lks., with healed blaze.

A cedar, 16" dia., bears S.39°E., 32 lks., with healed double blaze.

A fir, 27" dia., bears N.4 1/2°W., 43 lks., with healed double blaze.

and a new bearing tree

A hemlock, 13" dia., bears S.78°W., 22 lks., mkd. T25S R2W S30 BT.

From this point, the Bureau of Land Management Geodetic Control Station No. EC 41167, at latitude 43°22'32.581"N., longitude 122°58'15.522"W. (NAD 1927), determined by the NAVSTAR Global Positional System, bears N.28°13'54"E., 16.498 chs. (mean bearing and sea level distance); monumented with an aluminum cap set flush with the ground, mkd. EC 41167 GPS 1992 and a triangle.

BLM Dependent resurvey by Richard J. Dieckmann, Cadastral Surveyor, under Group No. 2749, surveyed Aug. 2014/April 2015 - (DCSO records Vol. 58 Page(s) 23342-3)

-----  
The cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 1 1/4" dia., firmly set, projecting 13 ins. above the ground, in a collar of stone, with a brass cap (properly) mkd from which the remains of the original bearing trees

A chinquapin snag, 14" dia., bears S.69°E., 13.9 ft., with no marks visible on a partially healed, decayed blaze. CONT.

TOWNSHIP 25 RANGE 02 POINT IDENTIFIER # 200300

PRIMARY CORNER DESCRIPTION Cor Secs 19, 20, 29, & 30

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

A cedar stump, 41" dia., bears S.24°W., 19.8 ft., with no marks visible on a partially healed, decayed blaze. and bearing trees mkd. by Byron, Deputy Co Surveyor, in 1959  
A D.Fir, 29" dia., bears N.3°E., 15.8 ft., with a healed blaze.  
A red cedar, 21" dia., bears S.39°E., 21.1 ft., with a healed blaze.  
A D.Fir, 36" dia., bears N.4½°W., 28.4 ft., with a healed blaze. and bearing tree mkd. by Rogers and Browning in 1993  
A hemlock, 15" dia., bears S.78°W., 14.5 ft., with a healed blaze.  
The geographic position in NAD 1983 (2011)  
Latitude: 43°22'23.12"N. Longitude: 122°58'22.50"W.

Douglas Co. Surveyors Office - Crew: Stephen Flause & Jeff Lorsung- 4/2/2024 - C.S. File 67/57-48  
-----  
Found - 2½" DCS0 brass cap (properly mkd) on 1" I.D. iron pipe, up 18" in rough stone mound.  
Badly burnt 10"x1½ ft chinquapin stub, N.69°E., 13.9 ft. blaze gone.  
Burnt 36"x4 ft cedar stump S.24°W., 19.8 ft., now burnt no face.  
26"x2½ ft. D.Fir stump N.4°E., 16.0 ft. (rec. N.3°E., 15.8 ft) add 3½" mag nail top center fully healed single blaze.  
Burned, shattered 8 ft. tall R.Cedar snag, S39°E., 21.1 ft. blaze gone.  
36"x3 ft. D.Fir stump N.3½°W., 28.4 ft. (Rec. N.4½°W.) Fully healed single blaze, add 3½" mag nail top center.  
Burned-down 16" Hemlock S.78°W., 14.5 ft. healed single blaze.  
New - 26" Hemlock S.88°E., 27.8 ft. 3½" mag nail right side center.  
20" D.Fir S.74½°W., 17.8 ft. 3½" mag nail right side center.  
Note - Mon. on flat ground near East end on ridge top runs m/l East-West.  
Compass decl. 14½°E.  
Oregon Coordinate Reference System  
Cottage Grove - Canyonville Zone  
N 196943.573 E 259879.782