

PRIMARY CORNER DESCRIPTION Cor. Secs 5, 6, 7, & 8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO Survey by Hezikiah H. Johnson, under Contract #721, dated May 1, 1900 (DCSO records Vol. 9 Page(s) 3653)

Set a basalt stone 18x9x5", 12" in the ground for cor. for cor. of secs. 5, 6, 7, & 8 marked with 5 notch on S & E edges, from which

- A yew, 8" dia., bears N.51°E., 65 lks. mkd: T25S R2W S5 BT
- A fir, 20" dia. bears S.34°E., 11 lks. mkd: T25S R2W S8 BT
- A yew, 10" dia. bears S.59°W., 73 lks. mkd: T25S R2W S7 BT
- A yew, 10" dia. bears N.77°W., 61 lks. mkd: T25S R2W S6 BT

FD. BC & 4 BTs by V. Hosford Aug/Oct. 1958 C.S. File 42/398

BLM dependent resurvey Levi E Tallett, Cadastral Engineer (1951) and C. Albert White, Cadastral Surveyor (1963), under Group # 294, surveyed May 1951 - Aug 1963 - (DCSO records Vol. 32 Page(s) 13354)

The cor. of secs. 5, 6, 7, 8, monumented with a basalt stone, 16x8x4", firmly set, marked with 5 notches on the S & E edges, from which the original bearing trees:

- A yew, 12" dia., bears N.52°45'E., 65 lks., partial scribe marks visible. (Record bearing, N.51°E.)
- A fir, 24" dia., bears S.34½°E., 11 lks., blaze healed. (Record bearing, S.34°E.)
- A yew, 14" dia., bears S.56°W., 70 lks., partial scribe marks visible. (Record: bears S.59°W., 73 lks.)
- A yew, 14" dia., bears N.77°45'W., 59 lks., blaze rotted, partial scribe marks visible (Rec bears N.77°W. 61 lks)

At the corner point

Set an iron post, 36" long, 2" in dia., 28" in the ground, with brass cap mkd.

T25S R2W
<u>S 6 S 5</u>
<u>S 7 S 8</u>
1951

from which

- A fir, 50" dia. bears N.86½°W. 76 lks. mkd. T25S R2W S6 BT
- A fir, 48" dia., bears N.31°45'E., 45 lks., mkd. T25S R2W S5 BT.

Bury the original corner stone alongside the iron post.

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor Under Group No. 2317, Surveyed June 2010/June 2011 - DCSO records Vol. 57 Page(s) 22799

The cor. of secs. 5, 6, 7, & 8, monumented with an iron post, 2" dia., firmly set, projecting 4" above the ground, with brass cap (properly) mkd. continued next page

PRIMARY CORNER DESCRIPTION Cor. Secs 5, 6, 7, & 8

Alias	Description
Alias	Description
Alias	Description
Alias	Description

from which the original bearing trees
A yew, 14" dia., bears N.52 $\frac{3}{4}$ °E., 42.9 ft., with fragmentary scribe marks visible on a partially healed blaze.
A fir, 28" dia., bears S.34 $\frac{1}{2}$ °E., 7.3 ft., with a healed blaze.
A yew, 19" dia., bears S.56°W., 46.2 ft., with a healed blaze.
A yew, 16" dia., bears N.77 $\frac{3}{4}$ °W., 38.9 ft., with no marks visible on an open, decayed blaze.
and the remains of bearing trees mkd. by Tallett and White
A fir, 58" dia., bears N.31 $\frac{3}{4}$ °E., 29.7 ft., with a healed blaze.
A sawed fir stump, 45" dia., bears N.86 $\frac{1}{2}$ °W., 50.2 ft., with a healed blaze.

Fd. as per 2011 BLM survey by D. Edwards, 7/2013 M165-53

BLM Dependent resurvey by Richard J. Dieckmann, Cadastral Surveyor, under Group No. 2749 , surveyed Aug. 2014/April 2015 - (DCSO records Vol. 58 Page(s) 23345)

The cor. of secs. 5, 6, 7, and 8, monumented with an iron post, 2" dia., firmly set, projecting 6" above the ground, with a brass cap (properly) mkd.
from which the original BTs reported by Skeesick in 2010-11
A yew, 14" dia., bears N.54 $\frac{1}{4}$ °E., 41.9 ft., with scribe marks 2 2W 5 visible on a partially healed blaze. (Record, N.52 $\frac{3}{4}$ °E., 42.9 ft.)
A D.Fir, 31" dia., bears S.34 $\frac{1}{2}$ °E., 7.3 ft., with a healed blaze.
A yew, 19" dia., bears S.56°W., 46.2 ft., with a healed blaze.
A yew, 17" dia., bears N.77 $\frac{3}{4}$ °W., 38.9 ft., with no marks visible on a partially healed blaze.
and bearing trees mkd. by Tallett and White in 1951-63, reported by Skeesick
A D.Fir, 54" dia., bears N.31 $\frac{3}{4}$ °E., 29.7 ft., with a healed blaze.
A decayed D.Fir stump, 44" dia., bears N.86 $\frac{1}{2}$ °W., 53.4 ft., with marks T25S R2W S6 BT visible on a partially healed, decayed blaze. (Record, 50.2 ft.)