



PRIMARY CORNER DESCRIPTION Sec. Cor. for 12 & 13; 7 & 18 of T25-5

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

7" D.Fir now 8" tall 22" dia. D.Fir stump, with clear evidence of fully healed blaze, bears south 284.5' (rec. south 286' this is a slope dist.)

Set - Monument position as indicated by found pipe flanges is accepted due to good agreement to nearest bearing tree, in both bearing and distance, and good bearing agreement to other bearing trees. Position is referenced out, found flanges are removed from ground, and a new 2 3/8" dia. brass cap mkd.

DOUGLAS COUNTY SURVEYORS OFFICE

R	T25S	R
6	<u>12</u>   <u>7</u>	5
W	<u>13</u>   <u>18</u>	W

RESET  
1997

on a 1 1/4" O.D. 30" long flanged galvanized iron pipe is set at position with brass cap top flush with ground. Found brass cap, iron pipe monument is straightened and set ten" below ground surface on north edge of new monument (above).

14" D.B.H. B.Oak scribed "T25S R5W S18 CS BT", on a double blaze, bears S.39 3/4°E., 178.3'.

Multi-trunked White Oak; the most southeasterly trunk of which is 15" D.B.H. and is scribed "T25S R6W S12 CS BT", on a double blaze. The center of the root crown of the multi-trunked tree, bears N.44°W., 307.5'.

Douglas Co. Surveyors Office - Randall W. Smith, Deputy - Stephen J. Flause - 3/30/1999 - C.S. File 66/8-38 & M131-50

-----

Found: 2 3/8" brass cap on an iron pipe, flush with ground. 1997

1972 DCSO BC/IP found 10" below ground along north edge of 1997 BC/IP

Bearings & dists. taken from new 1999 cor. position

40" now 50" dia. B.Oak with a fully healed single blaze, bears N.4°W., 122.6 ft. 1972

14" now 20" dia. Madrone with a fully healed single blaze, bears S.15°E., 149.2 ft. 1972

14" now 14" dia. B.Oak with a partially healed double blaze, scribing visible, "T25S R5W S18 CS BT", bears S.42 3/4°E., 160.1 ft. 1997

continued next page

TOWNSHIP 25 RANGE 06 POINT IDENTIFIER # 700500

PRIMARY CORNER DESCRIPTION Sec. Cor. for 12 & 13; 7 & 18 of T25-5

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Multi trunked W.Oak with a partially healed double blaze on 15" dia. southeasterly trunk, scribing visible "T25S R6W S12 CS BT"center of root crown of multi trunked tree, bears N.42¼°W., 325.4 ft. 1997

SET: BC/IP from 1997 is removed and date marked 1999.  
BC/IP is set at NEW PROPORTIONED POSITION, set flush with ground.

1972 BC/IP is set upside down at 1972 corner position, a yellow plastic cap is set in center of I.P. Monument is set 3" below ground

1972 iron pipe bears N.14½°W., 20.3 ft.

This position was re-proportioned - See M131-50