

PRIMARY CORNER DESCRIPTION Sec. cor. for 9, 10, 15 & 16

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Original - Dennis Hathorn, Deputy, Contract #73 dated June 8, 1857 (DCSO records, Vol. 9 Page 3877)

-----  
Set Post, corner secs. 9, 10, 15 and 16, from which  
An Alder 12" dia., bears S.45°E., 56 lks.  
A Fir 30" dia., bears S.70°W., 42 lks.  
A Fir 24" dia., bears N.5°W., 60 lks.  
A Willow 6" dia., bears N.68°E., 27 lks.

-----  
Corner found in good condition, GLO survey, 1896 by Heydon.  
(DCSO records, Vol. 9 Page 3908)

-----  
Claude Kerr, November 1953 - C.S. File 41/228

-----  
Found two original BTs, from which a 3"x3"x4 ft. Myrtle stake was set for corner, from which  
The orig. BT 30" Fir, now 53", bears S.70°W., 27.7 ft. old marking visible. Rescribed this tree "S16 BT".  
Orig. BT 24" Fir bears N.5°W., now 48", for 39.6 ft., old marking visible., was rescribed by us "S9 BT".  
37" Fir not mentioned in field notes, with scribing visible was found, bears N.68°E., 31.5 ft.  
New BT - 10" W.Fir bearing S.80°E., 32.5 ft. mkd. "S15 BT."

-----  
BLM resurvey by Irving Zirpel, under Group #411 dated August 1958. Survey 1958 (DCSO records, Vol. 29 Page 12398)

-----  
The cor., determined at record distance from two original BTs, as follows:

- A Fir 53" dia., bears S.70°W., 42 lks. dist., bark scribed S16 and rescribed by Kerr in 1953.
- A Fir 49" dia., bears N.2°W., 60 lks. dist., bark scribed T25S R7W S9 and rescribed by Kerr in 1953. (Rec. bearing N.5°W.)

and locally established and recorded bearing tree:

- A Fir snag 10" dia., bears N.80¼°E., 51½ lks. dist., with scribe marks S15 BT visible on partially healed blaze.

and a bearing tree of which I have no record

- A Fir 40" dia., bears N.71¼°E., 51½ lks. dist., bark scribed T25S R7W S10 BT.

At the corner point  
(Cont. Next page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 9, 10, 15 & 16

Alias	Description
Alias	Description
Alias	Description
Alias	Description

Set a Iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd:  
T25S R7W  
S 9|S 10  
S 16|S 15  
1958

from which  
A W.Fir 12" dia., bears S.8¼°E., 114 lks. dist., mkd.  
T25S R7W S15 BT.

BLM resurvey by Lynn Roseberry, under Group #645 - Survey, July 1967/Sept. 1968 (DCSO records. Vol. 36 Pg 14967)

-----  
The sec. cor., monumented with an I.P. 2½" dia., protruding 4" above the ground, firmly set, with 1958 brass cap.  
from which the remaining original bearing trees:

A root hole bears S.70°W., 42 lks. dist., with an uprooted Fir stump 53" dia., alongside, with scribe marks S16 BT visible on bark blaze.

A Fir 49" dia., bears N.2°W., 60 lks. dist., with scribe marks S9 BT visible on bark blaze.

locally established bearing trees reported by Zirpel in 1958:

A Fir 40" dia., bears N.71¼°E., 51½ lks. dist., with scribe marks T25S R7W S10 BT visible on bark blaze

A Fir snag 10" dia., bears S.80¼°E., 51½ lks. dist.,

with scribe marks S15 BT visible on open blaze.  
(Rec. N.80¼°E.)

and a bearing tree mkd. by Zirpel in 1958:

A W.Fir snag 12" dia., bears S.8¼°E., 114 lks. dist., with scribe marks T25S R7W S15 BT visible on open blaze.

add new bearing trees:

A W.Fir 20" dia., bears S.70¼°E., 113 lks. dist., mkd. T25S R7W S15 BT.

A Cedar 15" dia., bears S.60½°W., 73 lks. dist., mkd. T25S R7W S16 BT.

Dependent resurvey, BLM, by Rick McMullen, under Group #1246, Survey Aug/Sept. 1985 (DCSO records, Vol. 47 Page 18169)

-----  
Sec.cor. monumented with an iron post, with 1958 brass cap.  
from which the remains of the original bearing trees:  
(Cont. Next page)

