

TOWNSHIP 25 RANGE 08 POINT IDENTIFIER # 500600

PRIMARY CORNER DESCRIPTION Cor Secs 2, 3, 10, & 11

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Douglas Co. Surveyors Office - Gary Langlitz, Deputy - Pete Earle - 10/1/1974 - C.S. File 57/8-5

Note - This corner was referenced in 1972 at the request of BLM to permit a road to be built across the corner location.

Found - 2 BTs mkd. by the County Surveyor in 1966 remaining. There is no evidence remaining of the orig. BTs or of the monument & additional BTs mkd. in 1966.

Set - 5/8"x30" I. rod buried 8" below the surface of a graveled road, from which
9" D.Fir bears S.45°W., 49.6 ft., scribed "T25S R8W S10 CS BT"
9" D.Fir bears N.52°W., 73.2 ft., scribed "T25S R8W S3 CS BT"

This corner now lies buried in the center of a rock surfaced logging road.

BLM Dependent resurvey by James E. Jelley, Harvey E. Wofford Wayne L. Rogers, Cadastral Surveyors under Group #926 & 958 surveyed Aug. 1977/April 1979 - (DCS0 recs. Vol. 42 Page(s) 16443-4)

The cor. of secs. 2, 3, 10 & 11, perpetrated & recorded by Tracy, in 1966, from orig. evidence no longer in existence, further perpetuated & recorded by Langlitz, in 1974, monumented with an iron rod, 5/8" dia., firmly set, the top 8" below the road surface.

At the corner point

Set an iron post, 28" long, 2½" dia., 36" in the ground, the top 8" below the surface of the road directly over the iron rod, with brass cap mkd:

T25S	R8W
S 3 S 2	
S 10 S 11	
1978	

from which a BT mkd. by Tracy

A fir, 19" dia., bears S.27°E., 49 lks. with healed blaze. and BTs mkd. by Langlitz

A fir, 14" dia., bears S.45°W., 75 lks. with healed blaze.

A fir, 15" dia., bears N.52°W., 111 lks. with healed blaze and a BT

A fir, 10" dia. bears N.71°E. 121 lks. mkd: T25S R8W S2 BT

Fd. Ok by B. Shaner, 12/7/2000 - C.S. File 65/33-18

continued next page

TOWNSHIP 25 RANGE 08 POINT IDENTIFIER # 500600

PRIMARY CORNER DESCRIPTION Cor Secs 2, 3, 10, & 11

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Ron Quimby - Crew: N. Fromdahl & R Vincent - 4/2019 - C.S.
File 65/102-15

condition report only
Found - BLM brass cap (properly mkd)
20" Fir N.71°E., 79.9 ft. good scar.
32" Fir S.27°E., 32.3 ft. good scar.
17" Fir S.45°W., 49.5 ft. good scar.
28" Fir N.52°W., 73.3 ft. good scar.
Note - Compass decl. 15½°E.