

TOWNSHIP 26 RANGE 05 POINT IDENTIFIER # 500600

PRIMARY CORNER DESCRIPTION Cor. Secs 2, 3, 10, & 11

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Original - Elder & Gile, Contract #31 dated April, 1853 -
(DCSO records Vol. 11 Page 4491)

Set post cor. to secs. 2, 3, 10, & 11, from which
A laurel, 9" dia., bears S.76°E., 40 lks.
A Y.Oak, 8" dia., bears S.29½°W., 21 lks.
A Y.Oak, 6" dia., bears N.81°W., 29 lks.
A Maple 6" dia., bears N.62¼°E., 45 lks.

Douglas Co. Surveyors Office - Milo Godfrey - Feb. 1964 -
C.S. File 49/125-28

Not found.

BLM Dependent resurvey by Timothy J. Moore, A. Bert Skeesick,
Cadastral Surveyors and Robert H. Browning, Survey Tech,
under Group No. 2065 surveyed May 2004/April 2005 - (DCSO
records Vol. 57 Page(s) 22455)

Point for the cor. of secs. 2, 3, 10, and 11, at
proportionate position, by the method of three-point control,
based on the official record of the 1853 survey; there is no
remaining evidence of the original cor.

Set a stainless steel post, 28" long, 2½" dia., 22" in the
ground, with brass cap mkd.

T26S	R5W
S 3	S 2
S 10	S 11
2004	

from which

An oak, 13" dia., bears N.16¼°E., 177.9 ft., mkd. T26S
R5W S2 BT.

A fir, 13" dia., bears S.43¼°E., 20.3 ft., mkd. T26S R5W
S11 BT.

A fir, 29" dia., bears S.25¼°W., 60.0 ft., mkd. T26S R5W
S10 BT.

A fir, 12" dia., bears N.83¼°W., 34.2 ft., mkd. T26S R5W
S3 BT.

Deposit a magnet in a white plastic case at the base of the
stainless steel post.

Note: The three-point control method was utilized to
reestablish the cor. of secs. 2, 3, 10, and 11 in its true
original position. During the retracement, record calls for
topography were recovered and a blunder in the original
survey measurement was identified between the 1/4 sec. cor.
of secs. 10 and 11 and the cor. of secs. 2, 3, 10, and 11.

continued next page

TOWNSHIP 26 RANGE 05 POINT IDENTIFIER # 500600

PRIMARY CORNER DESCRIPTION Cor. Secs. 2, 3, 10, & 11

Alias _____ Description _____

Alias _____ Description _____

Alias _____ Description _____

Alias _____ Description _____

Not including the measurement to the south in the computation harmonizes this cor. position with the nearest recovered original cors. to the north, east, and west.