

TOWNSHIP 26 RANGE 07 POINT IDENTIFIER # 100600

PRIMARY CORNER DESCRIPTION Sec. cor. for 6 & 7; 1 & 12 of T.26-8

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Original - Dennis Hathorn, under Contract #57 dated April 12, 1855 (DCSO records, Volume 11 Page 4589)

Set post, cor. secs. 6, 7, 1 and 12, from which
A Fir 48" dia., bears N.40°E., 38 lks. dist.
A Fir 24" dia., bears S.20°E., 64 lks. dist.
A Fir 20" dia., bears S.40°W., 40 lks. dist.
A Cedar 30" dia., bears N.25°W., 41 lks. dist.

GLO survey by S.C. Flint, under Contract #392 dated May 26, 1881 (DCSO records, Vol. 11 Page 4618)

Witness trees all found, post decayed and down.
Made new Cedar post, 40" long, & 4" square, from which
(all trees as described by Hathorn)

BLM resurvey by Peterson & Berry, under Group #739, Survey May/July 1971 (DCSO records, Vol. 37 Page 15202) (Also see, Vol. 37 Page 15192)

Point for the sec. cor., determined by the method of irregular boundaries; there is no remaining evidence of the original corner.

Set an Iron post, 28" long, 2½" dia., 22" in the ground, with brass cap mkd.

T 26 S
R 8 W R 7 W
S 1 | S 6
S 12 | S 7
1971

from which

A Madrone 4" dia., bears S.83°E., 26 lks. dist. mkd. X BT

A Fir 15" dia., bears S.5°E., 29 lks. dist. mkd. T26S
R7W S7 BT.

A Fir 23" dia., bears S.39°W., 74 lks. dist., mkd. T26S
R8W S12 BT.

No other suitable trees available within limits.

BLM resurvey by Jelley & Rogers, under Group #1128, Survey, January, 1983 (DCSO records, Volume 43 Page 16756)

(Cont. Next Page)

TOWNSHIP 26 RANGE 07 POINT IDENTIFIER # 100600

PRIMARY CORNER DESCRIPTION Sec. Cor. 6 & 7; 1 & 12 of T.26-8

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

Sec. cor., monumented with an iron post, 2½" dia., firmly set,
projecting 6" above ground, with brass cap mkd: T 26 S
R 8 W R 7 W
S 1 | S 6
S 12 | S 7
1971

from which bearing trees mkd. by Peterson & Berry
A madrone, 7" dia., bears S.81½°E., 27 lks. dist.,
with fragmentary scribe marks visible on bark
blaze. (Rec. S.83°E.)
A Fir 18" dia., bears S.7½°E., 39 lks. dist., with
healed blaze. (Rec. S.5°E., 29 lks.)
A Fir 24" dia., bears S.37½°W., 73 lks. dist., with
healed blaze. (Rec. S.39°W., 41 lks.)
and new bearing trees
A Fir 7" dia., bears N.9°E., 36½ lks. dist., mkd.
T26S R7W S6 BT.
A Fir 5" dia., bears N.37¾°W., 53 lks. dist., mkd.
X BT.

BLM survey by Wayne Rogers, 1987, found BC and 5 BTs.
(DCSO records, Volume 48 Page 18446)

Found August, 1990, Glenn Baughman , M 110 - 55