

PRIMARY CORNER DESCRIPTION Sec. Cor. 4 & 5; 32 & 33 of T26-3

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Original - Addison R. Flint, Contract #56 dated March, 1855
(DCSO Records, Volume 10 Page 4351)

Set post cor. to secs. 32, 33, 4 and 5, from which
A Laurel 12" dia., bears S.39°E., 79 lks. dist.
A W.Oak 12" dia., bears S.27°W., 237 lks. dist.
A B.Oak 21" dia., bears N.17°W., 399 lks. dist.
A B.Oak 15" dia., bears N.66°E., 237 lks. dist.

J.W. Cole, Deputy, L.H. Smick; Seth Mathews; Floyd Wastson
June 6, 1921 - Volume 3 Pg. 95 - F.B. 51 Page 31

Renewed this corner by setting a 4 x 4 x 36" Oak post and
erecting a mound of rock from which, original BTs:
A Laurel 24" S.29°E., 79 lks., scarred.
A W.Oak 18" S.26°W., 158 ft., scarred
A B.Oak 40" N.15°W., 263.3 ft. bears scribe marks
A B.Oak 15" N.70°E., 156.4 ft. dead, scarred.

A.R.Evans; N.E. Richardson, October 1950 - C.S. File 44/61

Found four original BTs:
40" B.Oak, N.15°W., 263.3 ft. dead & down, scribe marks
visible.
15" B.Oak N.70°E., 156.4 ft. dead & down, scribe marks
visible.
18" W.Oak S.26°W., 158.0 ft. alive
24" Laurel, now 36, S.29°E., 52.1 ft., alive.
3/4" iron rod and mound of rock set for this corner and the
following new BTs, blazed and scribed:
24" Cedar N.59°E., 74.5 ft. T26S R3W S33 CS BT.
18" Cedar S.53°E., 21.0 ft. T27S R3W S4 CS BT.
18" Cedar S.42°W., 46.0 ft. T27S R3W S5 CS BT.
18" Cedar N.64°W., 89.2 ft. T26S R3W S32 CS BT.

BLM survey by Harold D. Corbin, under Group No. 350, surveyed
Aug/Sept. 1958 (DCSO records, Volume 29 Pgs. 12415-16)

Found corner perpetuated with an iron pipe 3/4" dia., firmly
set, 6" above ground, and in a mound of stone 2 1/2 ft. base,
1 ft. high, from which the original BTs:
(Cont. Next Page)

TOWNSHIP 27 RANGE 03 POINT IDENTIFIER # 300700

PRIMARY CORNER DESCRIPTION Sec. Cor. for 4 & 5; 32 & 33 of T26-3

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

<p>17" Cedar S.13½°W., 58.1 ft. alive & scribe visible on partially healed face. 22" Cedar N.84°W., 220.4 ft. turned out, scribe visible. Orig. Laurel to SE & Oak to SW still alive. New BTs- 10" W.Oak N.53°E., 53.9 ft. mkd. T26S R3W S33 CS BT. 7" Cedar N.83°W., 159.8 ft. mkd. T26S R3W S32 CSBT.</p>
<p>Found OK by D. Edwards, May 2001 - M138-18 and CS 65/34-8</p>