

PRIMARY CORNER DESCRIPTION CC Secs. 2 & 3 only;

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

GLO resurvey by Lincoln E. Wilkes, US Cadastral Engineer, Otto L. Draper & Norman D. Price, US Transitmen, under Special Instr. dated Dec. 21, 1920 - (DCSO records Vol. 24 Page(s) 10308-9)

-----  
Set an iron post, 3 ft. long, 2" dia., 27" in the ground, for closing cor. of secs. 2 & 3, with brass cap mkd

T27S R1E	
S 34	
S 3	S 2
T28S	R1E
C C	
1927	

from which

- A fir, 20" dia., bears S.70½°E., 34 lks., mkd: T28S R1E S2 CC BT.
- A fir, 24" dia., bears S.9½°W., 20 lks., mkd: T28S R1E S3 CC BT.

1.47 chs. West from the standard cor. of secs. 34 & 35.

BLM Mineral Survey 1008 A&B by Richard C. Skinner, Mineral Surveyor, survey under order dated June 30, 1992, Survey of Mineral Claims of: Anna Lu Rannells, Surveyed July/Aug. 1992 - (DCSO records Vol. 50 Page(s) 18932)

-----  
The closing cor. of secs. 2 & 3, T28S R1E WM monumented with a 2" dia. iron post, 13" above the ground, firmly set, with a 24" dia. GLO brass cap properly marked. The original BTs have been destroyed and no remaining evidence exists, and from which new BTs:

- A fir, 20" dia. , bears S.60°00'W. , 16.50 ft. with grown over blaze. (This is an unrecorded bearing tree of unknown origin.
- A fir, 9" dia, , bears S.41°30"E., 6.92 ft. mkd, T28S R1E S2 CC BT.