

Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____
Alias _____ Description _____

GLO resurvey by Fred Mensch , U.S. Cadastral Engineer - under special Instructions, dated June 7, 1922 - (DCSO records Vol. 15 Page(s) 6179)

At the point of intersection (8.29 chs., S.89°40'E. from the ¼ sec. cor. of sec. 33)

Set an iron post 3 ft. long, 2" dia., 27" in the ground, for closing cor. of secs. 3 and 4, with brass cap marked:

T28SR1WS33
S4 | S3
T29S | R1W
C | C
1922

from which

A Sugar Pine 10" dia., bears S.39°E., 7 lks. dist. mkd. T29S R1W S3 CC BT.

A Chinquapin 6" dia., bears S.42°W., 22 lks. dist. mkd. T29S R1W S4 CC BT.

Douglas Co. Surveyors Office - Gary L. Langlitz; Clell E. Goodwin; M. Lenora Ladig, crew - June 4, 1975 - C.S. File 57/30-4

Found - A 2" I.P. leaning slightly in the ground, with 1922 GLO brass cap attached, properly marked.

An Orig. 10" now 22" Sugar Pine bears S.39°E., 4.6 ft., alive and well healed.

An orig. 6" Chinquapin, now a 7" rotten snag, bears S.42°W., 14.5 ft., with some illegible scribing remaining on a well rotted unhealed face.

We mark a new bearing tree as follows:

9" Grand Fir bears S.37°W., 5.3 ft. scribed "T29S R1W S4 CC CS BT" on a double blaze.

Douglas Co. Surveyors Office - Randall Smith and Stephen Flause, crew - June 13, 1985 - C.S. File 62/28-6

Found - 1922 GLO brass cap on a 2" I.P., protruding 15" above ground and leaning 10" westerly, properly mkd.

10" dia. now 24" dia. 2 ft. high Sugar Pine stump with a single well healed blaze, bears S.34°E., 5.0 ft. (Rec. S.39°E., 4.6 ft. dist. is to face of blaze) (Orig.)

6" dia. now 7" dia. 25 ft. high Chinquapin snag with rotted evidence of a blaze, bears S.42°W., 14.5 ft. (Dist. is to center of root crown and face of blaze due to leaning growth of tree) (Orig.)

(Cont. Next Page)

TOWNSHIP 28 RANGE 01 POINT IDENTIFIER # 349100

PRIMARY CORNER DESCRIPTION C C for Secs. 3 & 4 only, T29-1

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

9" dia. Grand Fir now a 12" dia. W.Fir with a double well healed blaze, bears S.42½°W., 5.8 ft. (Rec. S.37°W., 5.3 ft. is to cap on leaning monument)
We straightened GLO cap on pipe to plumb and surrounded by a 24" dia. 15" tall mound of stone. Because both orig. face measurements and one orig. brg. agree with plumb position, we accept plumb position.
New BT - 28" dia. Sugar Pine double blazed and scribed "T29S R1W S4 CC CS BT" bears S.70½°W., 50.1 ft.
From end of USFS Rd. #2813-607 proceed easterly 600 ft. ± along ridge and cut line then South below ridge 40 ft. ± to corner.