

TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 051040

PRIMARY CORNER DESCRIPTION SE Cor. Ollivant DLC #51

Alias <u>053050</u>	Description <u>W. Int. NW Cor. DLC 53</u>
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

DLC survey by Elliott Bowman and J.A. Burnett under contract dated Sept. 24, 1855

-----  
Set a post as per instructions, from which  
A W.Oak 20" dia., bears N.80°W., 375 lks. dist.

Geo. J. Wenderoth, Deputy Co. Surveyor - Jan. 1946 (Could find no record source)

-----  
Set 1" Iron pipe. Renewed original BT, 40" Oak, N.80°W., 247.0 ft.

Doug. County Surveyors Office - James Byron, Deputy - Milo Godfrey; Clete Putnam - April 27, 1961 - C.S. File 49/50-49

-----  
Found - 1" I.P. at corner and orig. 20" now 40" W.Oak, shows old rotted face & newer scribing; Wenderoth renewal, N.80°W., 247.0 ft.

New BT- 10" W.Oak bears S.88°W., 179.4 ft. scribed CL BT 51 CS BT

BLM dependent resurvey by Bryan S. Seibold, & Robert J. Chappel, Cadastral Surveyor, under Group #1585, surveyed May 1991/May 1994 - (DCSO records Vol. 52 Page(s) 20032)

-----  
The SW. interior L cor. of DLC No. 53, identical with the SE. cor. of DLC No. 51, perpetuated by Wenderoth, Deputy County Surveyor, in 1946, from original evidence no longer in existence, further perpetuated by Byron, Deputy County Surveyor, in 1961,; monumented with an iron pipe, 1" diam., firmly set, projecting 4" above ground.

At the corner point  
Set a stainless steel post, 28" long, 2½" diam., 24" in the ground, directly over the iron pipe, with brass cap mkd.

T28S R7W  
C51 | C53  
1993

from which new bearing trees  
An oak, 7" diam., bears N.36 3/4°E., 94 lks., mkd. C53 BT.  
An oak, 7" diam., bears S.85¼°W., 35½ lks., mkd. X BT.  
Deposit a white "DEEP-1" magnetic marker at base of stainless steel post.

The corner is located South, 0.03 chs. dist. of a woven wire fence extending E. and W., and North, 0.48 chs. dist. of a dirt road, 15 lks. wide, bears N.60°W. and S.40°E.

Found Brass cap by Neil Hibbs 4/2014, M166-8  
Fd. per renewal, by M Heimburger 3/2017 M171-27