

TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 059010

PRIMARY CORNER DESCRIPTION NE Cor. Coats DLC #59

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

<p>Original DLC survey by Bowman and Burnett under Contract date Sept. 24, 1855</p> <p>-----</p> <p>Set a post, from which A B.Oak 24" dia., bears N.2°W., 18 lks.. No other tree convenient. Dug quadrangular trench, stone in center.</p>
<p>Doug. County Surveyors Office - J.W. Cole - Wit: H. Bergh; E. Richardson; W.H. Coats; Walter Coats - Feb. 13, 1923 - Vol. 3 Pages 141-147; C.S. File 5/37; M 1-2</p> <p>-----</p> <p>Renewed from the original BT which is alive and standing but scribe marks were rotted out. I remarked the tree and set and Iron Pipe 1" x 30" as per field notes.</p>
<p>GL0 resurvey by Mensch, 1924 (DCS0 records, Vol. 14 Pg. 5897)</p> <p>-----</p> <p>Commenced at the NE cor. of Coats DLC #59, where I find a 1" I.P. 4" above ground, set by local surveyor; from which the original bearing trees A B.Oak 36" dia., bears N.2°W., 18 lks. dist. mkd. CL 59 CS BT. No other trees or bearing objects available. I designate this cor. "Cor. No. 1."</p>
<p>Doug. County Surveyors Office - James W. Byron, Deputy - S.A. Bilow - May 29, 1959 - C.S. File 49/50</p> <p>-----</p> <p>Found - 36" now 40" B.Oak N.2°W., 11.9 ft., shows good reverse scribing "59 CS". Also find 1 Iron pipe under E.W. wire fence at cor. <u>I do not set brass cap at corner.</u> New BTs -28" B.Oak bears N.29°E., 49.3 ft. scribed NE CL 59 CS BT. 38" B.Oak bears S.49°E., 135.5 ft. scribed NE CL 59 CS BT.</p>
<p>Found OK, July 1986, Herm Pieske, M 102-23</p>
<p>Douglas Co. Surveyors Office - Randall W. Smith, Deputy - Stephen J. Flause - 2/8/2001 - C.S. File 66/19-35</p> <p>-----</p> <p>Found - 1" I.D. iron pipe protrudes 2" out of ground in an E-W fence line. 1923 OBT now gone. 1959 SE BT now gone continued next page</p>

TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 059010

PRIMARY CORNER DESCRIPTION NE Cor. Coats DLC #59

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

28" now 36" dia., B.Oak with a partially healed rotted double blaze, I rescribe on a single blaze between old blazes "NE 59 BT" bears N.29°E., 49.3 ft. 1959

New - 24" dia., W.Oak double blazed & scribed "NE DLC 59 CS BT" bears N.83¼°E., 87,6 ft.

41" dia., B.Oak single blazed & scribed "NE DLC 59 CS BT" bears N.57½°E., 204.0 ft.

No trees available in other quads.
Compass decl. 17 3/4°E.

See last Pg for pictures.

TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 059010

PRIMARY CORNER DESCRIPTION NE Cor. Coats DLC #59

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

