

TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 140200

PRIMARY CORNER DESCRIPTION 1/4 Cor. Secs. 30 and 31

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Original - Nathaniel Ford, under Contract #44 dated May 30, 1854 (DCSO records, Vol. 14 Page 5775)

-----  
Set quar. sec. post at proper dist. from which  
A B.Oak 18" dia., bears S.23°E., 99 lks. dist.  
A B.Oak 10" dia., bears N.40°E., 76 lks. dist.

Frank Cain, Co. Surveyor - Survey for: Pierce - Crew, W.E. Clark; Carl Howard; J.R. Campbell - Dec. 16, 1913 - Field Book 33 Page 25

-----  
I am unable to establish by field notes as they do not agree with BTs. T.W. Newland and W.H. Coats, old residents identify this as the original ¼ sec. cor. (See affidavit in Field Book, page 26)  
I renew by setting an Oak stake 3½" x 4" x 4 ft. mkd. CS ¼S from which  
A B.Oak 24" dia., mkd. CS ¼S BT, bears S.21°10'W., 49 lks.  
A B.Oak 40" dia., mkd. CS ¼S BT bears N.40°55'E., 104 lks.

J.W. Cole, Co. Surveyor - Wit: W.H. Coats; E. Richardson; H. Bergh - Feb. 1923 - Vol. 3 Pages 141-147; C.S. File 5/37; M 1-2;

-----  
Could not find trees given in Gov't field notes but found stake in fence corner from which trees bearing scars indicating bearing trees as follows:  
A B.Oak 30" dia., N.9°00'W., 83.0 ft. Old.  
30" B.Oak N.26°30'W., 30 ft. Old.  
B.Oak 30" dia., S.62°E., 19.0 ft. Old.  
B.Oak 46" dia. N.42°30'E., 69.4 ft. (Cain BT)  
B.Oak 24" dia., bears S.22°00'W., 32.5 ft. (Cain BT)

GLO resurvey by Mensch, 1924, (DCSO records, Vol. 14 Pages 5884-85)

-----  
Intersect the ¼ sec. cor. which is an Oak post, set by county surveyor at the intersection of fences bearing W., S., and E. the old bearing trees marked by Ford are plainly marked, but the record of them is erroneous and cannot be made to harmonize with the cor. position. Alongside the cor. post: Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd:  $\frac{1}{4} \frac{S 30}{S 31}$   
1924

(Cont. Next Page)



TOWNSHIP 28 RANGE 07 POINT IDENTIFIER # 140200

PRIMARY CORNER DESCRIPTION 1/4 Cor. Secs. 30 and 31

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

