



TOWNSHIP 28 RANGE 08 POINT IDENTIFIER # 700240

PRIMARY CORNER DESCRIPTION 1/4 Cor. Sec. 25; & 30, T28-7 1/2

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Douglas Co. Surveyors Office - Randall W. Smith, Deputy -  
Stephen J. Flause - 2/7/2001 - C.S. File 66/19-31

Found - 1924 GLO brass cap/iron pipe protrudes 6" out of ground.

1924 GLO brass cap iron pipe E 1/4 S30 protrudes 12" out of ground, bears East 21.8 ft. (Agrees w/rec.)

12" B.Oak now fallen rotted Oak, bears N.35°W., 108.2 ft. OBT

NE OBT gone.

18" now 24" dia., B.Oak with a fully healed blaze, bears N.81 1/2°W., 73.3 ft. 1923 DCSO

18" now 35" dia., B.Oak with a fully healed blaze, bears N.31 1/4°E., 67.3 ft. 1923 DCSO

10" now 16" dia., B.Oak with a fully healed blaze, bears N.13°E., 32.5 ft. (Rec. N.13°E., 33.0 ft.)

1924 GLO

New - 22" dia., W.Oak double blazed & scribed "1/4 S30 CS BT" bears S.16°W., 13.5 ft.

See last Pg for pictures.

TOWNSHIP 28 RANGE 08 POINT IDENTIFIER # 700240

PRIMARY CORNER DESCRIPTION 1/4 Cor. Sec. 25; & 30, T28-7 1/2

Alias \_\_\_\_\_ Description \_\_\_\_\_

Alias \_\_\_\_\_ Description \_\_\_\_\_

Alias \_\_\_\_\_ Description \_\_\_\_\_

Alias \_\_\_\_\_ Description \_\_\_\_\_

