

PRIMARY CORNER DESCRIPTION Cor. Secs. 17 & 18 (North) only

Alias	Description
Alias	Description
Alias	Description
Alias	Description

GLO corrective survey by Fred Mensch, Dep. Surveyor, Contract #757 dated Sept. 14, 1904 - (DCSO records Vol. 14 Pages 6099-6100)

A chinquapin, 8" dia., for cor. of secs. 7, 8, 17, & 18, I mark T28S S 8 on NE, R1W S 17 on SE, S 18 on SW, S 7 on NW faces, with 4 notches on S & 5 notches on E side; from which

- A sugar pine, 16" dia., bears N.62°E., 25 lks., mkd: T29S R1W S8 BT.
- A sugar pine, 12" dia., bears S.51°E., 17 lks., mkd: T29S R1W S17 BT.
- A sugar pine, 16" dia., bears S.64°W., 29 lks., mkd: T29S R1W S18 BT.
- A sugar pine, 16" dia., bears N.69°W., 25 lks., mkd: T29S R1W S7 BT.

GLO survey by Fred Mensch, US Cadastral Engineer - Under special instructions dated June 7, 1922 - (DCSO records Vol. 15 Page(s) 6159-60)

Intersect the old cor. of secs. 7, 8, 17, & 18, which is a chinquapin, 10" dia., marked & witnessed as described by the surveyor general. I change this cor. to refer to secs. 17 & 18 only, obliterate marks on the NE & NW BTs and on the NE & NW sides of the cor. tree & remark the cor., R1W S17 on SE & T29S S18 on SW sides, from which

- A sugar pine, 15" dia., bears S.51°E., 17 lks., mkd: T29S R1W S17 BT. (Old BT)
- A sugar pine, 18" dia., bears S.64°W., 29 lks., mkd: T29S R1W S18 BT. (New BT)

Cor. of Secs. 7 & 8 (South) only bears West 1.05 chains