

TOWNSHIP 29 RANGE 03E POINT IDENTIFIER # 100200

PRIMARY CORNER DESCRIPTION Cor. Secs. 30, 31, 25, & 36 T29-2E

Alias \_\_\_\_\_ Description AKA AP 933  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_  
Alias \_\_\_\_\_ Description \_\_\_\_\_

GLO survey by Fred Mensch & Lincoln E Wilkes, U.S. Cadastral Engineers, under Special Instructions dated Dec. 21, 1920 - (DCSO records Vol. 25 Page(s) 10692)

-----  
Set an iron post, 3 ft. long, 2" dia., 27" in the ground, for cor. of secs. 25, 30, 31, & 36, with brass cap mkd

T29S  
R2E|R3E  
S 25|S 30  
S 36|S 31  
1923

from which

A cedar, 26" dia., bears N.63°E., 89 lks., mkd: T29S R3E S30 BT.

A fir, 52" dia. bears S.75°E., 50 lks mkd: T29S R3E S31 BT

A fir, 16" dia. bears S.35°W., 56 lks mkd: T29S R2E S36 BT

A fir, 48" dia. bears N.79°W., 71 lks mkd: T29S R2E S25 BT

Stephan L. Barott - For: Umpqua Nat'l Forest - Nov. 1998/June 1999 - M 133-13

-----  
Found - A 2½" dia., brass cap on a 1" dia., iron post protruding 6" above ground, mkd:

US GENERAL LAND OFFICE SURVEY

T 29 S  
R2E | R3E  
S 25|S 30  
S 36|S 31  
1923

A 39" dia., Cedar bears N.63°45'E., 56.6 ft. with a healed blaze (Rec. N.63°E., 58.7 ft.)

A 52" dia., Fir stump bears S.74°15'E., 33.2 ft. with scribing "BT" visible on an opened blaze. (Rec. S.75°E., 33.0 ft.)

A 20" dia., D.Fir bears S.35°39'W., 37.0 ft. with fragmentary scribing visible on partially opened blaze. (Rec. S.35°W., 37.0 ft.)

A 53" dia., Fir stump bears N.78°55'W., 47.5 ft. with scribing "BT" visible on an opened blaze. (Rec. N.79°W., 46.9 ft.)

New BTs- A 9" dia., D.Fir bears S.40°24'E., 22.9 ft. mkd: T29SR3ES31BT, with a brass washer stamped LS 2332 attached.

A 9" dia., D.Fir bears N.29°52'W., 14.7 ft. mkd: T29SR2ES25BT, with a brass washer stamped LS 2332 attached.